



B 40 C Ep 240V

Mains-operated walk-behind scrubber dryers in the 40 litre class. Especially efficient on open areas of 500 to 1400 m². Available with roller brush or disc brush head.

1 EASY Operation

- Simple to use.
- The basic functions are controlled with the EASY switch.

3 Mains operation

- Uninterrupted operation.
- Low weight thanks to mains supply ideal for pressure-sensitive floors.

2 Straight or curved squeegee

- For perfect suction on every floor.
- There are also different suction lips to choose from: Natural rubber or oil-resistant polyurethane, slotted suction lips for sensitive floors or closed for rough floors.

4 Practical machine shape

- The slim machine can be easily manoeuvred, even in tight spaces.
- The asymmetric shape offers the best view of the surface to be cleaned.

TECHNICAL DATA AND EQUIPMENT





B 40 C Ep 240V

Technical data		
Order No.		2.533-200.0
EAN code		4039784557932
Brush working width	mm	430
Vacuuming working width	mm	850
Fresh/dirty water tank	I	40 / 40
Frequency	Hz	50
Voltage	V	230-240
Rated input power	W	bis zu 1300
Weight	kg	68
Dimensions (L × W × H)	mm	1209 × 498 × 1145

Equipment FACT			
FACT	-		
Dose	-		
Mains operation			
Tank-in-tank construction style			

■ Included in delivery.















		Order No.	Hardness / Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes									
Roller brush	1	4.762-405.0	soft	450 mm	White	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing.	
	2	4.762-392.0	medium	450 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 448 mm.With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.4 mm thick, 20 mm long.	
	3	4.762-406.0	high / low	450 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	
	4	4.762-407.0	hard	450 mm	green	1 piece(s)		Roller brush, green, hard. Length: 450 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	
	5	4.762-408.0	very hard	450 mm	black	1 piece(s)		Very hard (GRIT), for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.	
	6	4.762-409.0	soft	550 mm	White	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing.	
	7	4.035-184.0	medium	550 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 550 mm.For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.4 mm thick, 20 mm long.	
	8	4.762-410.0	high / low	550 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	
	9	4.762-411.0	hard	550 mm	green	1 piece(s)		Hard, for heavy soilings und for deep cleaning; for unsensitive floors only.	
	10	4.762-412.0	very hard	550 mm	black	1 piece(s)		Very hard (GRIT), for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.	

[☐] Available accessories.

















		Order No.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description
Pad roller shaft								
Pad roller shaft	1	4.762-413.0		450 mm				Roller pad shaft, aluminium For roller pads or microfibre rollers, length 450 mm.
	2	4.762-415.0		550 mm				550 mm
Roller pads								
Roller pad on sleeve	3	6.367-105.0	soft	450 mm	96 mm	yellow		
	4	6.367-107.0	medium	450 mm	96 mm	red		
	5	6.367-106.0	hard	450 mm	96 mm	green		
	6	6.369-732.0	soft	530 mm	96 mm	yellow		
	7	6.369-734.0	medium	530 mm	96 mm	red		
	8	6.369-733.0	hard	530 mm	96 mm	green		
Stripping roller	9	4.114-011.0		450 mm		brown		
	10	8.635-692.0		550 mm		brown		
Microfibre shaft								
Microfibre roller	11	4.114-009.0	Microfibre	450 mm	96 mm	light green		World innovation: Application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-413.0.
	12	4.114-010.0	Microfibre	550 mm	96 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-415.0.

[☐] Available accessories.













			1				
		0dN	Hardness /	D !		Quanti-	
		Order No.	Brush type	Diameter	Colour	ty	Price
Disc brushes			1	1			
Disc brush	1	4.905-024.0	very soft	430 mm	White	1	
	2	4.905-023.0	soft	430 mm	natural	piece(s)	
		4.505 025.0	3011	450 111111	natora	piece(s)	
	3	4.905-022.0	medium	430 mm	red	1	
						piece(s)	
	4	4.905-025.0	hard	430 mm	black	1	
	5	4.905-028.0	very soft	510 mm	White	piece(s)	
		4.303 028.0	very sort	310 111111	WITTE	piece(s)	
	6	4.905-027.0	soft	510 mm	natural	1	
						piece(s)	
	7	4.905-026.0	medium	510 mm	red	1	
	8	4.905-029.0	hard	510 mm	black	piece(s)	
	8	4.505-029.0	Ilaiu	210 111111	DIACK	niece(s)	

[☐] Available accessories.























		Order No.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Crystallisation pad									Ī
Crystallisation pad	1	6.369-911.0	medium	432 mm	silver	5 piece(s)		for high sheen cyrstallisation	
	2	6.905-386.0	medium	432 mm	bronze	5 piece(s)		for basic cyrstallisation	
	3	6.371-270.0	medium	508 mm	bronze	5 piece(s)			
	4	6.371-289.0	medium	508 mm	silver	5 piece(s)			
Microfibre pad									ĺ
Microfibre pad	5	6.371-271.0	Microfibre	508 mm	White	5 piece(s)			
	6	6.905-526.0	Microfibre	410 mm	White	5 piece(s)		Excellent cleaning power. Cleans even pores of fine stonware tiles.	
Pads		1	1						
Pad	7	6.369-469.0	very soft	432 mm	White	5 piece(s)		5 polishing pads, very soft, white, without grit, 432 mm diameter. For polishing floors.	
	8	6.371-149.0	soft	432 mm	beige / natural	5 piece(s)			
	9	6.371-081.0	soft	432 mm	beige	5 piece(s)		Soft, with slight grain, for polishing.	
	10	6.369-470.0	medium-soft	432 mm	red	5 piece(s)		5 pads, medium-soft, red, 432 mm diameter. For cleaning al floors.	II
	11	6.369-472.0	medium-hard	432 mm	green	5 piece(s)		5 pads, medium-hard, green, 432 mm diameter. For removing stubborn dirt and basic cleaning.	
	12	6.369-473.0	hard	432 mm	black	5 piece(s)		5 pads, hard, black, 432 mm diameter. For removing stubborn dirt and basic cleaning.	
	13	6.371-146.0	soft	500 mm	beige / natural	5 piece(s)			
	14	6.369-468.0	soft	508 mm	beige	5 piece(s)			
	15	6.369-079.0	medium-soft	508 mm	red	5 piece(s)		Medium soft, for wet-cleaning of all surfaces and for spray cleaning.	
	16	6.369-078.0	medium-hard	508 mm	green	5 piece(s)		Medium hard, for cleaning stubborn soilings and for deep cleaning.	
	17	6.369-077.0	hard	508 mm	black	5 piece(s)		Hard, for persistent soilings and for deep cleaning.	
Pad drive board			•						Ī
Pad drive board	18	4.762-533.0		403 mm		1 piece(s)			
	19	4.762-534.0		479 mm		1 piece(s)			

[☐] Available accessories.









		Order No.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Diamond pad									
Diamond pad	20	6.371-256.0	coarse	432 mm	White	5 piece(s)		White diamond pad (coarse) with a diameter of 432 mm for coarse cleaning and restoration. Removes small scratches, for a clean, silky matt surface.	
	21	6.371-260.0	coarse	508 mm	White	5 piece(s)			
	22	6.371-257.0	medium	432 mm	yellow	5 piece(s)		Yellow diamond pad (medium) with a diameter of 432 mm for coarse cleaning and restoration. Removes fine scratches and ensures a more homogeneous and shinier surface.	
	23	6.371-261.0	medium	508 mm	yellow	5 piece(s)			
	24	6.371-238.0	fine	432 mm	green	5 piece(s)		Green diamond pad (fine) with a diameter of 432 mm. For effortless polishing of laminated floors, terrazzo and natural stone surfaces.	
	25	6.371-240.0	fine	508 mm	green	5 piece(s)			

[☐] Available accessories.



















		Order No.	Length	Colour	Quanti- ty	Price	Description	
Squeegees for suction bars								
Suction lips	1	6.273-207.0	890 mm	transparent	2 -part		Standard, grooved, oil-resistant.	
	2	6.273-229.0	890 mm	transparent	2 -part		Slotted, oil-resistant, polyurethane, for sensitive floors.	
	3	6.273-213.0	890 mm	blue	2 -part		Fluted, standard, natural rubber.	
	4	6.273-290.0	890 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	
Suction lips for V-squeegee	5	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squee- gees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for al floors.	
Squeegee, complete								
Squeegee	6	4.777-406.0	850 mm	blue	1 piece(s)		Straight, without support rollers. Soft natural rubber suction lips.	' _
	7	4.777-401.0	850 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	
	8	4.777-416.0	850 mm	blue	1 piece(s)		Curved, without supporting rollers. Soft natural rubber suction lips.	
	9	4.777-411.0	850 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	
V-squeegee	10	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm-long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long life-time and for all floors. With spirit level for precise adjustment.	

[☐] Available accessories.





















		Order No.	Length	Colour	Quanti- ty	Price	Description	
Miscellaneous		Order No.	Length	COIOOI		FIICE	Description	L
Extension cable	1 1	6.647-022.0	20 m		1		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earth-	Т
Extension cable	1	0.047 022.0	20111		piece(s)		ing pin plug, strain relief and anti-kink sleeve.	[
Filling hose	2	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
Cover without tank flushing system complete	3	4.035-334.0	720 mm		1 piece(s)			[
Cover for tank flushing system complete	4	4.035-369.0	73 cm		1 piece(s)		1	
Complete	5	4.035-370.0	18 cm		1 piece(s)		1	
Add-on kit eco!zero	6	5.388-133.0			1 piece(s)		1	
Home Base accessories		'			11			
Home Base mop holder kit	7	4.035-374.0			1 piece(s)		The Homebase Mop kit contains mop clip, mop support and bottle holder – the perfect solution for securely carrying the mop directly on the scrubber drier.	
Home Base Box Kit	8	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	[
Adapter Homebase	9	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	[
Double hook	10	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	. [
Holder handhold grey	11	6.980-078.0			1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	
Holder bottle	12	6.980-080.0			1 piece(s)			
Universal hook kit	13	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	
	14	5.035-655.0	105 mm		1 piece(s)			[
	15	5.035-656.0	17 cm		1 piece(s)			[
Dosing aids								İ
DS 3 Cleaning Agent Dosing Station	16	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	[

[☐] Available accessories.











		Order No.			Price	Description
		Order No.			FIICE	Description
Brush heads						
Brush head R 45 Ep	1	2.763-021.0				
Brush head D 43 Ep	2	2.763-024.0				
Brush head R 55 Ep	3	2.763-017.0				
Brush head D 51 Ep	4	2.763-027.0				







		Order No.	Length	Diameter	Quanti- ty	Price	Description
Other attachment kits							
Suction hose accessories	1	4.444-015.0	3.25 m		1 piece(s)		
Auto-Fill	2	4.035-345.0			1 piece(s)		

[☐] Available accessories.





									\Box
		Order No.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	

[☐] Available accessories.