



## B 40 C Bp

Battery-powered walk-behind scrubber dryers in the 40 litre class without traction drive. Ideal for areas of 400 to 1100 m<sup>2</sup>. With innovative KIK system. With roller or disc brush head.

### 1 3 batteries to choose from

- Battery types: maintenance-free 70 Ah (C5), low-maintenance 80 Ah (C5) or maintenance-free 105 Ah (C5).
- The built-in charger can be adjusted to the various battery types.

### 2 EASY Operation

- Simple to use.
- The basic functions are controlled with the EASY switch.

### 3 ecoefficiency

- For significantly reduced energy consumption and substantially longer battery runtime.
- The ecoefficiency mode is extra quiet and optimal for noise-sensitive areas (such as hospitals or hotels).

### 4 Straight or curved squeegee

- For perfect suction on every floor.
- There are also different suction lips to choose from: Natural rubber or oil-resistant polyurethane, slotted suction lips for sensitive floors or closed for rough floors.



## B 40 C Bp

### Technical data

<b>Order No.</b>	2.533-202.0	
<b>EAN code</b>	4039784557956	
<b>Brush working width</b>	<b>mm</b>	430
<b>Vacuuming working width</b>	<b>mm</b>	850
<b>Fresh/dirty water tank</b>	<b>l</b>	40 / 40
<b>Rated input power</b>	<b>W</b>	bis zu 1100
<b>Weight</b>	<b>kg</b>	60
<b>Dimensions (L × W × H)</b>	<b>mm</b>	1209 × 498 × 1145
<b>Battery voltage</b>	<b>V</b>	24

### Equipment

<b>FACT</b>	-
<b>Dose</b>	-
<b>Tank-in-tank construction style</b>	■

■ Included in delivery.

# ACCESSORIES FOR B 40 C BP

## 2.533-202.0




		Order No.	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
		1	5.035-344.0	yellow	1 piece(s)		The yellow KIK key does not offer the operator any possibilities to make adjustments.	■
		2	5.035-348.0	grey	1 piece(s)		The grey KIK key is reserved for the supervisor, who can grant access rights with it for the operator's key.	■
		3	4.035-408.0	yellow	5 piece(s)			□
		4	5.035-337.0	red	1 piece(s)			□
		5	6.680-124.0	1.5 m	1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
		6	4.035-334.0	720 mm	1 piece(s)			□
		7	4.035-369.0	73 cm	1 piece(s)			□
		8	4.035-370.0	18 cm	1 piece(s)			□
		9	5.388-133.0		1 piece(s)			□
<b>Home Base accessories</b>								
		10	4.035-374.0		1 piece(s)		The Homebase Mop kit contains mop clip, mop support and bottle holder - the perfect solution for securely carrying the mop directly on the scrubber drier.	□
		11	4.035-406.0		1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	□
		12	5.035-488.0		1 piece(s)		Fastener for various hooks and clips on the machine.	□
		13	6.980-077.0		1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
		14	6.980-078.0		1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
		15	6.980-080.0		1 piece(s)			□
		16	4.070-075.0		1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	□
		17	5.035-655.0	105 mm	1 piece(s)			□
		18	5.035-656.0	17 cm	1 piece(s)			□
<b>Dosing aids</b>								
		19	2.641-811.0		1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	□

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR B 40 C BP

## 2.533-202.0



		Order No.	Hardness / Brush type	Length	Colour	Quantity	Price	Description	
<b>Roller brushes</b>									
Roller brush	1	4.762-405.0	soft	450 mm	White	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing.	<input type="checkbox"/>
	2	4.762-392.0	medium	450 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 448 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.4 mm thick, 20 mm long.	<input type="checkbox"/>
	3	4.762-406.0	high / low	450 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	<input type="checkbox"/>
	4	4.762-407.0	hard	450 mm	green	1 piece(s)		Roller brush, green, hard. Length: 450 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	<input type="checkbox"/>
	5	4.762-408.0	very hard	450 mm	black	1 piece(s)		Very hard (GRIT), for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.	<input type="checkbox"/>
	6	4.762-409.0	soft	550 mm	White	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing.	<input type="checkbox"/>
	7	4.035-184.0	medium	550 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 550 mm. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.4 mm thick, 20 mm long.	<input type="checkbox"/>
	8	4.762-410.0	high / low	550 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	<input type="checkbox"/>
	9	4.762-411.0	hard	550 mm	green	1 piece(s)		Hard, for heavy soilings and for deep cleaning; for unsensitive floors only.	<input type="checkbox"/>
	10	4.762-412.0	very hard	550 mm	black	1 piece(s)		Very hard (GRIT), for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR B 40 C BP

## 2.533-202.0



		Order No.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description	
<b>Pad roller shaft</b>									
Pad roller shaft	1	4.762-413.0		450 mm				Roller pad shaft, aluminium For roller pads or microfibre rollers, length 450 mm.	<input type="checkbox"/>
	2	4.762-415.0		550 mm				550 mm	<input type="checkbox"/>
<b>Roller pads</b>									
Roller pad on sleeve	3	6.367-105.0	soft	450 mm	96 mm	yellow			<input type="checkbox"/>
	4	6.367-107.0	medium	450 mm	96 mm	red			<input type="checkbox"/>
	5	6.367-106.0	hard	450 mm	96 mm	green			<input type="checkbox"/>
	6	6.369-732.0	soft	530 mm	96 mm	yellow			<input type="checkbox"/>
	7	6.369-734.0	medium	530 mm	96 mm	red			<input type="checkbox"/>
	8	6.369-733.0	hard	530 mm	96 mm	green			<input type="checkbox"/>
Stripping roller	9	4.114-011.0		450 mm		brown			<input type="checkbox"/>
	10	8.635-692.0		550 mm		brown			<input type="checkbox"/>
<b>Microfibre shaft</b>									
Microfibre roller	11	4.114-009.0	Microfibre	450 mm	96 mm	light green		World innovation: Application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-413.0.	<input type="checkbox"/>
	12	4.114-010.0	Microfibre	550 mm	96 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-415.0.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR B 40 C BP 2.533-202.0



		Order No.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Disc brushes</b>									
Disc brush	1	4.905-024.0	very soft	430 mm	White	1 piece(s)			<input type="checkbox"/>
	2	4.905-023.0	soft	430 mm	natural	1 piece(s)			<input type="checkbox"/>
	3	4.905-022.0	medium	430 mm	red	1 piece(s)			<input type="checkbox"/>
	4	4.905-025.0	hard	430 mm	black	1 piece(s)			<input type="checkbox"/>
	5	4.905-028.0	very soft	510 mm	White	1 piece(s)			<input type="checkbox"/>
	6	4.905-027.0	soft	510 mm	natural	1 piece(s)			<input type="checkbox"/>
	7	4.905-026.0	medium	510 mm	red	1 piece(s)			<input type="checkbox"/>
	8	4.905-029.0	hard	510 mm	black	1 piece(s)			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR B 40 C BP

## 2.533-202.0



		Order No.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Crystallisation pad</b>									
Crystallisation pad	1	6.369-911.0	medium	432 mm	silver	5 piece(s)		for high sheen cyrstallisation	<input type="checkbox"/>
	2	6.905-386.0	medium	432 mm	bronze	5 piece(s)		for basic cyrstallisation	<input type="checkbox"/>
	3	6.371-270.0	medium	508 mm	bronze	5 piece(s)			<input type="checkbox"/>
	4	6.371-289.0	medium	508 mm	silver	5 piece(s)			<input type="checkbox"/>
<b>Microfibre pad</b>									
Microfibre pad	5	6.371-271.0	Microfibre	508 mm	White	5 piece(s)			<input type="checkbox"/>
	6	6.905-526.0	Microfibre	410 mm	White	5 piece(s)		Excellent cleaning power. Cleans even pores of fine ston-ware tiles.	<input type="checkbox"/>
<b>Pads</b>									
Pad	7	6.369-469.0	very soft	432 mm	White	5 piece(s)		5 polishing pads, very soft, white, without grit, 432 mm diameter. For polishing floors.	<input type="checkbox"/>
	8	6.371-149.0	soft	432 mm	beige / natural	5 piece(s)			<input type="checkbox"/>
	9	6.371-081.0	soft	432 mm	beige	5 piece(s)		Soft, with slight grain, for polishing.	<input type="checkbox"/>
	10	6.369-470.0	medium-soft	432 mm	red	5 piece(s)		5 pads, medium-soft, red, 432 mm diameter. For cleaning all floors.	<input type="checkbox"/>
	11	6.369-472.0	medium-hard	432 mm	green	5 piece(s)		5 pads, medium-hard, green, 432 mm diameter. For removing stubborn dirt and basic cleaning.	<input type="checkbox"/>
	12	6.369-473.0	hard	432 mm	black	5 piece(s)		5 pads, hard, black, 432 mm diameter. For removing stubborn dirt and basic cleaning.	<input type="checkbox"/>
	13	6.371-146.0	soft	500 mm	beige / natural	5 piece(s)			<input type="checkbox"/>
	14	6.369-468.0	soft	508 mm	beige	5 piece(s)			<input type="checkbox"/>
	15	6.369-079.0	medium-soft	508 mm	red	5 piece(s)		Medium soft, for wet-cleaning of all surfaces and for spray cleaning.	<input type="checkbox"/>
	16	6.369-078.0	medium-hard	508 mm	green	5 piece(s)		Medium hard, for cleaning stubborn soilings and for deep cleaning.	<input type="checkbox"/>
	17	6.369-077.0	hard	508 mm	black	5 piece(s)		Hard, for persistent soilings and for deep cleaning.	<input type="checkbox"/>
<b>Pad drive board</b>									
Pad drive board	18	4.762-533.0		403 mm		1 piece(s)			<input type="checkbox"/>
	19	4.762-534.0		479 mm		1 piece(s)			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR B 40 C BP

## 2.533-202.0








		Order No.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Diamond pad</b>									
Diamond pad	20	6.371-256.0	coarse	432 mm	White	5 piece(s)		White diamond pad (coarse) with a diameter of 432 mm for coarse cleaning and restoration. Removes small scratches, for a clean, silky matt surface.	<input type="checkbox"/>
	21	6.371-260.0	coarse	508 mm	White	5 piece(s)			<input type="checkbox"/>
	22	6.371-257.0	medium	432 mm	yellow	5 piece(s)		Yellow diamond pad (medium) with a diameter of 432 mm for coarse cleaning and restoration. Removes fine scratches and ensures a more homogeneous and shinier surface.	<input type="checkbox"/>
	23	6.371-261.0	medium	508 mm	yellow	5 piece(s)			<input type="checkbox"/>
	24	6.371-238.0	fine	432 mm	green	5 piece(s)		Green diamond pad (fine) with a diameter of 432 mm. For effortless polishing of laminated floors, terrazzo and natural stone surfaces.	<input type="checkbox"/>
	25	6.371-240.0	fine	508 mm	green	5 piece(s)			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.



# ACCESSORIES FOR B 40 C BP

## 2.533-202.0



		Order No.	Length	Colour	Quantity	Price	Description	
<b>Squeegees for suction bars</b>								
Suction lips	1	6.273-207.0	890 mm	transparent	2 -part		Standard, grooved, oil-resistant.	<input type="checkbox"/>
	2	6.273-229.0	890 mm	transparent	2 -part		Slotted, oil-resistant, polyurethane, for sensitive floors.	<input type="checkbox"/>
	3	6.273-213.0	890 mm	blue	2 -part		Fluted, standard, natural rubber.	<input type="checkbox"/>
	4	6.273-290.0	890 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	<input type="checkbox"/>
Suction lips for V-squeegee	5	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	<input type="checkbox"/>
<b>Squeegee, complete</b>								
Squeegee	6	4.777-406.0	850 mm	blue	1 piece(s)		Straight, without support rollers. Soft natural rubber suction lips.	<input type="checkbox"/>
	7	4.777-401.0	850 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
	8	4.777-416.0	850 mm	blue	1 piece(s)		Curved, without supporting rollers. Soft natural rubber suction lips.	<input type="checkbox"/>
	9	4.777-411.0	850 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
V-squeegee	10	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm-long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR B 40 C BP

## 2.533-202.0



		Order No.					Price	Description	
<b>Brush heads</b>									
Brush head R 45 C	1	2.763-020.0							<input type="checkbox"/>
Brush head D 43	2	2.763-023.0							<input type="checkbox"/>
Brush head R 55 C	3	2.763-013.0							<input type="checkbox"/>
Brush head D 51	4	2.763-026.0							<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR B 40 C BP

## 2.533-202.0



		<b>Order No.</b>	<b>Quantity</b>	<b>Battery volt- age</b>	<b>Battery capaci- ty</b>	<b>Battery type</b>	<b>Price</b>	<b>Description</b>	
<b>Batteries</b>									
Battery kit	1	4.035-447.0	2 -part	24 V	76 Ah	Mainte- nance- free		Maintenance-free battery set consisting of 2x 12-V batteries and connecting cables.	<input type="checkbox"/>
	2	4.035-450.0	2 -part	24 V	80 Ah				<input type="checkbox"/>
	3	4.035-449.0	2 -part	24 V	105 Ah	Mainte- nance- free			<input type="checkbox"/>
<b>Battery and charger kits</b>									
Quick charger set VI 24 V / 116 Ah	4	2.642-559.0	1 piece(s)	24 V	116 Ah	Mainte- nance- free		Battery set with maintenance-free batteries, connecting cable and charger. Designed for quick interim charges with a charging time of less than three hours. Ideal for multiple shift operation.	<input type="checkbox"/>
<b>Accessories for batteries</b>									
Spacer	5	4.642-020.0	1 piece(s)						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR B 40 C BP

## 2.533-202.0



1



2

		Order No.	Length	Diameter	Quantity	Price	Description	
<b>Other attachment kits</b>								
Suction hose accessories	1	4.444-015.0	3.25 m		1 piece(s)			<input type="checkbox"/>
Auto-Fill	2	4.035-345.0			1 piece(s)			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR B 40 C BP

## 2.533-202.0



		Order No.	Quantity	ID	Width	Length	Price	Description	
<b>Other</b>									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	<input type="checkbox"/>

Included in delivery.
  Available accessories.