

#### BR 35/12 C Bp Pack

Agile, lightweight, quiet: The BR 35/12 C scrubber drier with its fast rechargeable, high-performance lithium-ion battery, rotating brush head, KART & roller technology and eco!efficiency mode.

















- Brush head rotatable by +/- 200° with KART technology, allowing the machine to be steered. For easy negotiation of curves
- Extremely manoeuvrable and effective ideal for areas with a lot of furniture
- The brush is always transverse to the direction of travel. The suction
- 2 Includes high performance lithium ion battery
- Completely maintenance-free despite a service life that is three times longer than conventional batteries.
- Interim or partial charging is also possible where necessary.

#### 3 eco!efficiency mode

- Saves resources and extends run time by up to 50 %.
- 40 % reduction in noise level.

#### 4 Handlebar can be folded down

- Compact storage.
- Can also be transported in small vehicles.

### **TECHNICAL DATA AND EQUIPMENT**





#### BR 35/12 C Bp Pack

- eco!efficiency mode
- Includes sweeping functionHeight-adjustable handlebar

Technical data		
Order No.		1.783-450.0
EAN code		4039784617278
Brush working width	mm	350
Vacuuming working width	mm	450
Rated input power	W	500
Battery capacity	Ah	21
Battery voltage	V	25.2
Fresh/dirty water tank	1	12 / 12
Brush contact pressure	g/cm²	150
Brush speed	rpm	700-1500
Max. area performance	m²/h	1400
Weight	kg	35
Dimensions (L × W × H)	mm	930 × 420 × 1100

Equipment	
Roller brush	
2-tank system	
Variable contact pressure	
Battery and built-in charger included	I
Battery type	Li-Ion
Transport wheels	
Squeegees, straight	

■ Included in delivery.





		Order No.	Quantity	Battery volt- age	Battery capaci- ty	Battery type	Price	Description	
Batteries									
LI-ION battery	1	6.654-294.0	1 piece(s)	25.2 V	21 Ah	Mainte- nance- free			•

<sup>■</sup> Included in delivery. 

Available accessories.











		Order No.	Hardness / Brush type	Length	Colour	Quanti- ty	Price	Description
Roller brushes								
Roller brush	1	4.037-031.0	medium	350 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 350 mm.With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.4 mm thick, 20 mm long.
	2	4.037-036.0	very soft	350 mm	White	1 piece(s)		Roller brush, very soft, white. Length: 350 mm.With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.
	3	4.037-037.0	high / low	350 mm	orange	1 piece(s)		Roller brush, high/low, medium-hard, orange. Length: 350 mm.With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.
	4	4.037-038.0	hard	350 mm	green	1 piece(s)		Roller brush, hard, green. Length: 350 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.

<sup>■</sup> Included in delivery. 

Available accessories.



		Order No.	Length	Colour	Quanti- ty	Price	Description
Squeegees for suction bars							
Suction lips	1	4.037-035.0	450 mm	transparent	2 -part		Grooved, oil-resistant, polyurethane.

<sup>■</sup> Included in delivery. 

Available accessories.













		Order No.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description	
Pad roller shaft									
Pad roller shaft	1	4.762-009.0		350 mm				Roller pad shaft, aluminium For roller pads or microfibre rollers, length 350 mm.	
Roller pads	·								
Roller pad on sleeve	2	6.369-053.0	soft	350 mm	96 mm	yellow			
	3	6.369-047.0	medium	350 mm	96 mm	red			
	4	6.369-052.0	hard	350 mm	96 mm	green			
Microfibre shaft									
Microfibre roller	5	4.037-040.0	Microfibre	350 mm	96 mm	light green			
	6	4.037-066.0	Microfibre	350 mm	96 mm	light green			

<sup>■</sup> Included in delivery. 

□ Available accessories.





		Order No.	Length	Colour	Quanti- ty	Price	Description	
Miscellaneous	<u> </u>		•	'				
Filling hose	1	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
Add-on kit eco!zero	2	5.388-133.0			1 piece(s)			
Dosing aids								
DS 3 Cleaning Agent Dosing Station	3	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	

<sup>■</sup> Included in delivery. 

□ Available accessories.