



B 150 R DOSE(Disc)



1 Configurable machine

- Equipment details are freely selectable.
- Optimal adjustment of the machine to cleaning requirements

3 Auto Fill (optional)

- Automatic filling of fresh water tank.
- Connect a fresh water hose and the filling stops automatically as soon as the tank is full.

2 KIK system

- Greater protection against erroneous operation.
- Reduction in service costs.

4 Four batteries to choose from

■ Battery types: maintenance-free with 36 V/180 Ah, low-maintenance with 36 V/180 Ah, maintenance-free with 36 V/240 Ah, low-maintenance with 36 V/240 Ah.

TECHNICAL DATA AND EQUIPMENT





B 150 R DOSE(Disc)

Technical data		
Order No.		1.246-020.2
Brush working width	mm	750
Vacuuming working width	mm	940
Fresh/dirty water tank	1	150 / 150
Theoretical area performance	m²/h	4500
Brush speed	rpm	180
Brush contact pressure	g/cm²	34-46
Battery voltage	V	36
Rated input power	W	2800
Dimensions (L × W × H)	mm	1790 × 910 × 1410

Equipment			
Disc brush			
Traction drive			
Automatic water stop			
Dose	-		
Solenoid valve			
2-tank system	•		

■ Included in delivery.





								Т
		Order No.	Length	Colour	Quanti- ty	Price	Description	
Miscellaneous								t
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)		The yellow KIK key does not offer the operator any possibilities to make adjustments.	-
KIK key, grey	2	5.035-348.0		grey	1 piece(s)		The grey KIK key is reserved for the supervisor, who can grant access rights with it for the operator's key.	ı
Filling hose	3	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	ı
KIK key, white	4	4.035-076.0		White	1 piece(s)			-
KIK key set, yellow	5	4.035-408.0		yellow	5 piece(s)			[
KIK key set, white	6			White	5 piece(s)			
Fleet management module	7	2.643-310.0			1 piece(s)			
Cover tank flushing system complete	8	4.035-513.0			1 piece(s)			[
Add-on kit eco!zero	9	5.388-133.0			1 piece(s)			1
ABS Rammschutz Bürstenkopf	10	2.034-000.0						
Home Base accessories	1					1		
Home Base Mop Holder Kit	11	4.035-514.0			1 piece(s)			[
Home Base Box Kit	12	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	[
Adapter Homebase	13	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	[
Double hook	14	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	. [
Holder handhold grey	15	6.980-078.0			1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	[
Holder bottle	16	6.980-080.0			1 piece(s)			ı
Manual rinsing system	17	4.035-515.0			1 piece(s)			1
Universal hook kit	18	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	
Wheels/tyres			<u>'</u>	,				Ė
Supergrip front wheels	19	6.435-810.0		purple	1 piece(s)		The combination of the special tyre compound and the V-profile of these oil-resistant front wheel bands increases traction and ensures very good adhesion properties on slippery floors.	
Supergrip, rear wheel	20	6.438-006.0		grey	1 piece(s)		For improving adhesion and increasing safety even when negotiating curves, this oil-resistant rear wheel is suitable for our B 150 R ride-on scrubber drier. (2 pieces required).	
Hub cap	21	6.438-008.0					101 001 B 130 K Tide off schobber differ. (2 pieces required).	1

[■] Included in delivery.

Available accessories.





					Quanti-			
		Order No.	Length	Colour	ty	Price	Description	Ц
Dosing aids								
DS 3 Cleaning Agent Dosing Station	22	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	
Wiping flaps								
Modification kit, squeegee blades for brush head	23	2.763-031.0			1 piece(s)			

[■] Included in delivery.

Available accessories.





		Order No.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Disc brushes					<u> </u>				
Disc brush	1	4.905-019.0	very soft	385 mm	White	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.	
	2	4.905-020.0	soft	385 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 75.	
	3	4.905-018.0	medium	385 mm	red	1 piece(s)		Medium, for all floors. Standard with D 75.	
	4	4.905-021.0	hard	385 mm	black	1 piece(s)		Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 75.	
	5	4.905-004.0	soft	450 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing.	
	6	4.905-003.0	medium	450 mm	red	1 piece(s)		Disc brush, medium-hard, red, 450 mm diameter. For norma use. Also suitable for sensitive floors. Bristles: Polypropyl- ene, 0.6 mm thick, 40 mm long.	
	7	4.905-006.0	hard	450 mm	black	1 piece(s)		Disc brush, hard, black, 450 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Typey 180, 1mm thick, 41 mm long.	

[■] Included in delivery. □ Available accessories.





		Order No.	Hardness / Brush type	Diameter	Colour	Quanti-	Price	Description	
Microfibre pad		Oraci No.	Бгозп сурс	Didilicter	COIOOI	.,	11100	Description	Н
Microfibre pad	1	6.369-960.0	Microfibre	457 mm	White	5 piece(s)		Excellent cleaning power. Cleans even pores of fine stonware tiles.	
	2	6.371-078.0	Microfibre	381 mm	White	5 piece(s)		5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.	
Pads									
Pad	3	6.369-791.0	medium-soft	381 mm	red	5 piece(s)		5 pads, medium-soft, red, 381 mm diameter. For cleaning all floors. Suitable for, e.g. D 75.	
	4	6.369-790.0	medium-hard	381 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	
	5	6.369-789.0	hard	381 mm	black	5 piece(s)		5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	
	6	6.369-024.0	medium-soft	457 mm	red	5 piece(s)		5 pads, medium-soft, red, 457 mm diameter. For cleaning all floors. Suitable for, e.g. D 90.	
	7	6.369-023.0	medium-hard	457 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.	
	8	6.369-022.0	hard	457 mm	black	5 piece(s)		5 pads, hard, black, 457 mm diameter. For removing stub- born dirt and basic cleaning. Suitable for, e.g. D 90.	
Pad drive board			1	1	1				
Pad drive board	9	4.762-447.0		375 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	
	10	4.762-493.0		445 mm		1 piece(s)		Fits on D 90. For cleaning with pads. With quick-changing coupling and center lock.	
Diamond pad									
Diamond pad	11	6.371-252.0	coarse	385 mm	White	5 piece(s)			
	12	6.371-258.0	coarse	457 mm	White	5 piece(s)			
	13	6.371-253.0	medium	385 mm	yellow	5 piece(s)			
	14	6.371-259.0	medium	457 mm	yellow	5 piece(s)			
	15	6.371-236.0	fine	385 mm	green	5 piece(s)			
	16	6.371-239.0	fine	457 mm	green	5 piece(s)			

[■] Included in delivery.

Available accessories.





		Order No.	Length	Colour	Quanti- ty	Price	Description	
Squeegee, complete Squeegee	1	4.777-403.0	1060 mm	transparent	1		Straight, with support rollers. Suction lips of oil-resistant,	
					piece(s)		transparent polyurethane.	Ш
	2	4.777-413.0	1060 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	
V-squeegee	3	4.777-078.0	1200 mm	transparent	1 piece(s)		V-shaped squeegee with length of 1,200 mm and adjustable support rollers. Oil-resistant, fluted suction lips made from robust polyurethane for all conventional floors. Special sliding properties on crevices.	
Squeegees for suction bars								
Suction lips	4	6.273-206.0	1080 mm	transparent	2 -part		Slotted, oil-resistant.	
	5	6.273-209.0	1080 mm	transparent	2 -part		Standard, grooved, oil-resistant.	
	6	6.273-215.0	1080 mm	blue	2 -part		Grooved, natural rubber.	
	7	6.273-293.0	1080 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	
Suction lips for V-squeegee	8	6.273-016.0	1334 mm	transparent	2 -part		Fluted suction lip set for all conventional floors. Made from oil-resistant, transparent polyurethane with a long lifetime and specially developed for V-shaped, 1,200 mm-long squeegees.	

[■] Included in delivery. □ Available accessories.





		Order No.			Price	Description	
Brush heads							
Brush head D 75	1	2.763-005.0				Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
Brush head D 90 S	2	2.763-008.0				Brush head with 2 disc brushes, brush quick changeover system, 90 cm working width and height adjustable side guards	Г

[■] Included in delivery.

Available accessories.





		Order No.	Length	Diameter	Quanti- ty	Price	Description
Spray extraction mounting kit							
Spray suction attachment kit	1	2.642-058.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.
Other attachment kits							
Suction hose accessories	2	4.444-015.0	3.25 m		1 piece(s)		1
Flashing beacon	3	4.035-516.0			1 piece(s)		
Auto-Fill	4	4.035-345.0			1 piece(s)		

 $[\]blacksquare$ Included in delivery. \square Available accessories.





		Order No.	Quantity	Battery voltage	Battery capaci- ty	Battery type	Price	Description
Batteries								
Battery kit	1	4.035-988.0	1 piece(s)	36 V	180 Ah			
	2	4.654-307.0	6 -part	36 V	180 Ah	Mainte- nance- free		1
	3	4.654-306.0	6 -part	36 V	240 Ah	Mainte- nance- free		
	4	4.035-987.0	1 piece(s)	36 V	240 Ah			
Accessories for batteries								·
Box with wall holder	5	2.641-243.0	1 piece(s)					Supply system for charging wet batteries, the batteries can
Box	6	2.641-244.0	1 piece(s)					be filled easily, time saving. Mount the box 4 meters high.

[■] Included in delivery.

□ Available accessories.





		Order No.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	

[■] Included in delivery.

Available accessories.