



HD 13/35-4 Cage

This product uses up to 350 bar of pressure to remove even the most stubborn dirt. The robust cage design provides all-round protection and enables safe crane loading. With sack-trolley principle for easy transportation.



1 High-performance crankshaft pump

- Reliable and durable Kärcher high-performance crankshaft pump ensures optimal pressure.

2 Safe storage

- Accessories and tools are stored in a protected compartment. This means that everything is always in its place.



HD 13/35-4 Cage

- Robust industrial gun
- Dry run protection (optional)

Technical data

Order No.	1.367-154.0	
EAN code	4039784730984	
Working pressure	bar / MPa	100-350 / 10-35
Flow rate	l/h	500-1300
Max. inlet temperature	°C	max. 60
Pump type	Kärcher high-performance crankshaft pump	
Drive	E-Motor 400 V / 50 Hz	
Motor rating	kW	15
Weight	kg	190
Dimensions (L × W × H)	mm	930 × 800 × 920

Equipment

Electro start	-	
High-pressure hose	m	10 / Heavy duty
Spray gun	Industrial trigger gun	
Stainless steel lance	mm	700
Flat jet nozzle	■	
Safety valve	■	
Elapsed time counter	■	

■ Included in delivery.

ACCESSORIES FOR HD 13/35-4 CAGE 1.367-154.0

KÄRCHER



		Order No.	Length				Price	Description	
High-pressure hoses									
Pressure hose	1	6.391-846.0						650 bar, M 22 x 1.5	<input checked="" type="checkbox"/>
	2	6.391-856.0						650 bar, M 22 x 1.5.	<input type="checkbox"/>
	3	6.391-848.0						650 bar, M 22 x 1.5	<input type="checkbox"/>
	4	6.391-857.0						650 bar, M 22 x 1.5.	<input type="checkbox"/>
	5	6.391-847.0							<input type="checkbox"/>
	6	6.391-019.0							<input type="checkbox"/>
Grease for stainless steel threaded joints	7	6.280-180.0							<input type="checkbox"/>
Trigger guns									
Kärcher industry gun	8	4.775-824.0							<input checked="" type="checkbox"/>
Spray lances									
Spray lance	9	4.760-679.0						With nozzle holder.	<input checked="" type="checkbox"/>
	10	4.760-653.0							<input type="checkbox"/>
	11	4.760-675.0							<input type="checkbox"/>
	12	4.760-677.0							<input type="checkbox"/>
Power nozzles									
Flat jet nozzle	13	5.765-166.0						15°, 350 bar, 1,300 l/h (electr.)	<input checked="" type="checkbox"/>
Detail nozzle	14	5.765-162.0						350 bar, 1,300 l/h (electr.)	<input type="checkbox"/>
Attachment kits									
ABS protection against dry run	15	2.641-922.0							<input type="checkbox"/>
ABS protection against water shortage	16	2.851-028.0							<input type="checkbox"/>
Single-jet rotary nozzles									
F7 power rotary jet	17	6.415-914.0						350 bar, 1.35 mm, 1,300 l/h, M 20 x 1, stainless steel.	<input type="checkbox"/>
Rotary jet	18	4.767-173.0						350 bar, 1.35 mm, 1,300 l/h, M 20 x 1, brass.	<input type="checkbox"/>
Power Rotary Jet Repair Kit F7	19	6.025-436.0						Repair kit for power rotary jet for 350 bar working pressure and 1,300 l/h water flow rate, Order No. 6.415-914.0. Includes rotor, seat and O-ring (28 x 2).	<input type="checkbox"/>
Tool for changing rotor seat	20	6.025-233.0							<input type="checkbox"/>
Pipe cleaning									
Foot valve for pipe cleaning	21	6.470-223.0						Foot valve for convenient and safe use of accessories for effective pipe cleaning.	<input type="checkbox"/>
Pipe cleaning nozzle, standard	22	5.763-090.0						Standard pipe cleaning nozzle for pipe cleaning hoses with G1/4" threaded connection. Nozzle configuration: 3x backward.	<input type="checkbox"/>
Pipe cleaning nozzle, Quattro	23	5.763-091.0						For pipe cleaning hoses with G1/4" threaded connection: Quattro pipe cleaning nozzle. Nozzle configuration: 3x backward and 1x forward.	<input type="checkbox"/>
Pipe cleaning nozzle, Rotor	24	5.763-092.0						For pipe cleaning hoses with G1/4" threaded connection: Rotor pipe cleaning nozzle. Nozzle configuration: 3x backward.	<input type="checkbox"/>
Pipe cleaning hose	25	6.392-401.0						Flexible pressure hose (DN 8) for thorough pipe cleaning. 10 m long. Threaded connection for G1/4" nozzle.	<input type="checkbox"/>
	26	6.392-402.0						Flexible pressure hose (DN 8) for thorough pipe cleaning. With threaded connection for G1/4" nozzle and 20 m long.	<input type="checkbox"/>
	27	6.392-403.0						For through pipe cleaning: flexible, 30 m long pressure hose with threaded connection for G1/4" nozzle.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR HD 13/35-4 CAGE

1.367-154.0

KÄRCHER



		Order No.	Length					Price	Description	
Surface cleaner										
Surface Cleaner FRI 50 Me	28	2.643-577.0							Surface cleaner for efficient cleaning of surfaces up to 500 bar and hot water cleaning up to 100°C. 4 convenient steering rollers. Specific nozzle kits must be ordered separately.	<input type="checkbox"/>
Nozzle package 025 FRI 50 Me	29	6.415-045.0							Nozzle kit specifically for FRI 50 Me Surface Cleaner. Nozzle size: 025.	<input type="checkbox"/>
Abrasive blaster										
Required adapter for abrasive blasters	30	5.401-325.0								<input type="checkbox"/>
Replacement nozzle for abrasive blaster	31	6.025-346.0							Replacement nozzle for abrasive spray head made from boron carbide. Colour blue.	<input type="checkbox"/>
F98 nozzle kit, D 0.70 mm	32	9.886-551.0							For wet sand blasting: three-nozzle kit for abrasive spray head. Nozzle size 0.7 mm.	<input type="checkbox"/>
F98 nozzle for abrasive blaster	33	6.025-255.0							Nozzle (nozzle size 0.7 mm) for abrasive spray head for wet sand blasting.	<input type="checkbox"/>
Suction lance	34	6.025-258.0								<input type="checkbox"/>
Abrasive material hose	35	6.025-308.0								<input type="checkbox"/>
Mounting tool for nozzle set	36	6.025-257.0								<input type="checkbox"/>
Abrasive	37	6.025-309.0								<input type="checkbox"/>
	38	6.025-310.0								<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR HD 13/35-4 CAGE

1.367-154.0



		Order No.					Price	Description	
Coupling									
Connector	1	4.403-002.0						For connecting and extending HP hoses, 2 x M 22 x 1.5 m connection, brass with rubber protection	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.