

B 90 R Adv Bp

The B 90 R Adv Bp battery-operated ride-on scrubber drier impresses with FACT, compact design, high flexibility, an expanded tank capacity and variable working widths (55-75 cm).













1 Extremely easy to manoeuvre

- Thanks to its very short and narrow construction style, the machine is very agile and easy to manoeuver despite large water volumes.
- The 90° steering system allows you to turn on the spot.

2 Simple operation

- Additionally, the roller brushes ensure that water and therefore also cleaning agent are saved.
- The basic functions are controlled with the EASY switch.

3 Quick replacement

- If required, the brush head can be replaced quickly with no need for tools.
- The rollers on the R head can be changed in next to no time.

4 Long operating time

- Large compartment for a large battery capacity. Maintenance-free gel batteries in the pack variants.
- Two-level turbo power saves energy in the WHISPER setting.

TECHNICAL DATA AND EQUIPMENT





B 90 R Adv Bp

- Adjustable brush contact pressure
- With two-level suction performance
- With tank level display

| Technical data | | |
|------------------------------|------|-------------------|
| Order No. | | 1.161-308.0 |
| EAN code | | 4039784497863 |
| Brush working width | mm | 550 |
| Vacuuming working width | mm | 850 |
| Fresh/dirty water tank | 1 | 90 / 90 |
| Theoretical area performance | m²/h | 4500 |
| Battery voltage | V | 24 |
| Weight | kg | 150 |
| Dimensions (L × W × H) | mm | 1450 × 800 × 1200 |

| Equipment Traction drive | | | |
|-----------------------------|---|--|--|
| Traction drive | | | |
| Automatic water stop | | | |
| Dose | - | | |
| 2-tank system | | | |

■ Included in delivery.





| | | | | | Quanti- | | | |
|-----------------------------|----|-------------|---------|-------------|---------------|-------|---|--|
| | | Order No. | Length | Colour | ty | Price | Description | |
| Squeegee, complete | ' | | | | | | | |
| Squeegee | 1 | 4.777-401.0 | 850 mm | transparent | 1 piece(s) | | Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane. | |
| | 2 | 4.777-411.0 | 850 mm | transparent | 1 piece(s) | | Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane. | |
| V-squeegee | 3 | 4.777-079.0 | 900 mm | transparent | 1 piece(s) | | 900 mm-long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long life-time and for all floors. With spirit level for precise adjustment. | |
| | 4 | 4.777-080.0 | 1000 mm | transparent | 1 piece(s) | | Suitable for all conventional floors and with very good gliding properties on crevices: V-shaped squeegee with length of 1,000 mm and suction lips made from wear-resist ant polyurethane with a long lifetime. | |
| Squeegee | 5 | 4.777-402.0 | 940 mm | transparent | 1 piece(s) | | Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane. | |
| | 6 | 4.777-412.0 | 940 mm | transparent | 1 piece(s) | | Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane. | |
| Squeegees for suction bars | | | | | | | | |
| Suction lips for V-squeegee | 7 | 6.273-023.0 | 1010 mm | transparent | 2 -part | | Suction lip set, fluted and developed for V-shaped squee- gees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for al floors. | |
| | 8 | 6.273-024.0 | 1116 mm | transparent | 2 -part | | Designed for our 1,000 mm-long, V-shaped squeegees, this fluted suction lip set impresses on all floors. High-quality, oil-resistant design made from durable polyurethane. | |
| Suction lips | 9 | 6.273-207.0 | 890 mm | transparent | 2 -part | | Standard, grooved, oil-resistant. | |
| | 10 | 6.273-229.0 | 890 mm | transparent | 2 -part | | Slotted, oil-resistant, polyurethane, for sensitive floors. | |
| | 11 | 6.273-213.0 | 890 mm | blue | 2 -part | | Fluted, standard, natural rubber. | |
| | 12 | 6.273-290.0 | 890 mm | transparent | 2 -part | | Closed, oil-resistant, for structured floors. | |
| | 13 | 6.273-208.0 | 960 mm | transparent | 2 -part | | Standard, grooved, oil-resistant. | |
| | 14 | 6.273-205.0 | 960 mm | transparent | 2 -part | | Slotted, oil-resistant, for sensitive floors. | |
| | 15 | 6.273-214.0 | 960 mm | blue | 2 -part | | Grooved, natural rubber. | |
| | 16 | 6.273-291.0 | 960 mm | transparent | 2 -part | | Closed, oil-resistant, for structured floors. | |

[☐] Available accessories.





| | | Order No. | Length | Colour | Quanti- ty | Price | Description | |
|------------------------------------|---|-------------|--------|--------|---------------|-------|--|--|
| Miscellaneous | | | · | · | | | | |
| Filling hose | 1 | 6.389-524.0 | 1.5 m | | 1 piece(s) | | Filling hose, 1500 mm. With universal funnel. Facilitates machine filling from a water tap. | |
| | 2 | 6.680-124.0 | 1.5 m | | 1 piece(s) | | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps. | |
| Additional weight kit | 3 | 5.031-498.0 | | | 1 piece(s) | | ensures that squeegee glides optimally | |
| Add-on kit eco!zero | 4 | 5.388-133.0 | | | 1 piece(s) | | | |
| Dirty water tank filter | 5 | 6.414-976.0 | | | 1 piece(s) | | | |
| Wheels/tyres | | | | | | | | |
| Tyres, supergrip | 6 | 6.435-403.0 | | yellow | 1 piece(s) | | | |
| Dosing aids | | | | | | | | |
| DS 3 Cleaning Agent Dosing Station | 7 | 2.641-811.0 | | | 1 piece(s) | | After connecting to a tap, cleaning agent can be filled into the fresh water tank diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717). | |

[☐] Available accessories.





| | | Order No. | Quantity | Battery voltage | Battery capaci- ty | Battery type | Price | Description | |
|------------------|---|-------------|------------|-----------------|--------------------------|---------------------------|-------|---|--|
| Batteries | | | • | <u>'</u> | | | | | |
| Battery | 1 | 6.654-124.0 | 1 piece(s) | 6 V | 180 Ah | Mainte- nance- free | | Maintenance-free gel traction battery. 6V/180Ah (5h). 4 batteries required for 24V machines, 6 required for 36V machines. | |
| Battery kit | 2 | 6.654-130.0 | 4 -part | 24 V | 180 Ah | Mainte- nance- free | | Battery pack includes four 6 V batteries and connecting cables | |
| | 3 | 6.654-070.0 | 4 -part | 24 V | 180 Ah | | | Battery pack includes six 4 V batteries and connecting cables | |
| Battery set | 4 | 6.654-124.0 | 1 piece(s) | 6 V | 180 Ah | Mainte- nance- free | | 6 pcs required | |
| Battery Chargers | | | | | | | | | |
| Charger | 5 | 6.654-072.0 | 1 piece(s) | 24 V | | separate | | For battery 6.654-070. Please order adapter 6.648-582.0 additionally. | |
| Battery charger | 6 | 6.654-078.0 | 1 piece(s) | 24 V | | separate | | For batteries 6.654-124.0. | |
| Charger | 7 | 6.654-125.0 | 1 piece(s) | 24 V | | separate | | For batteries 6.654-124 and 6.654-130 | |
| Battery charger | 8 | 6.654-180.0 | 1 piece(s) | 24 V | | separate | | For operating with 100 - 230 V. For battery 6.654-124.0 (4 x) and 6.654-130.0. | |

[☐] Available accessories.





| | | Order No. | Installation ex works | Battery voltage | Battery capaci- ty | Battery type | Price | Description | |
|--------------------|---|-------------|--------------------------|-----------------|--------------------------|---------------------------|-------|--|--|
| Traction batteries | | | | | | | | | |
| Battery | 1 | 6.654-119.0 | | 6 V | 240 Ah | Mainte- nance- free | | 4 required. | |
| Chargers | | | | | | | | | |
| Charger | 2 | 6.654-120.0 | | 24 V | | separate | | For charging 24V/240Ah maintenance-free batteries (6.654-119.0). | |





| | | Order No. | Hardness / Brush type | Length | Colour | Quanti- ty | Price | Description | |
|----------------|----|-------------|--------------------------|--------|--------|---------------|-------|--|---------|
| Roller brushes | | | | | | | | | |
| Roller brush | 1 | 6.906-977.0 | soft | 532 mm | White | 1 piece(s) | | Soft, for cleaning sensitive surfaces and for polishing. Fits on R 55. | ı |
| | 2 | 6.906-934.0 | medium | 532 mm | red | 1 piece(s) | | Medium, for all floors. Standard with R 55. | ı |
| | 3 | | medium | 532 mm | red | 1 piece(s) | | | |
| | 4 | 4.035-193.0 | medium | 532 mm | red | 1 piece(s) | | | ı |
| | 5 | | high / low | 532 mm | orange | 1 piece(s) | | Medium hard, for cleaning strong structured floors and deeper joints. Fits R 55. | ı |
| | 6 | | hard | 532 mm | green | 1 piece(s) | | Hard, for heavy soilings und for deep cleaning; for unsensitive floors only. Fits R 55. | |
| | 7 | | very hard | 532 mm | black | 1 piece(s) | | Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 55. | |
| | 8 | 6.906-981.0 | soft | 638 mm | White | 1 piece(s) | | Soft, for cleaning sensitive surfaces and for polishing. Fits on R 65. | |
| | 9 | | medium | 638 mm | red | 1 piece(s) | | Roller brush, medium-hard, red. Length: 638 mm.With wear-resistant star-wheel mechanism. For normal use. Bris- | ļ |
| | 10 | | medium | 638 mm | red | 1 piece(s) | | tles: Polypropylene, 0.5 mm thick, 20 mm long. | |
| | 11 | | medium | 638 mm | red | 1 piece(s) | | | 1 |
| | 12 | | high / low | 638 mm | orange | 1 piece(s) | | Medium hard, for cleaning strong structured floors and deeper joints. Fits R 65. | |
| | 13 | 6.906-983.0 | hard | 638 mm | green | 1 piece(s) | | Roller brush, hard, green. Length: 638 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long. | |
| | 14 | 6.906-984.0 | very hard | 638 mm | black | 1 piece(s) | | Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 65. | |
| | 15 | | soft | 700 mm | White | 1 piece(s) | | Soft, for cleaning sensitive surfaces and for polishing. Fits on R 75. | |
| | 16 | | medium | 700 mm | red | 1 piece(s) | | Roller brush, medium-hard, red. Length: 638 mm.With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long. | |
| | 17 | | high / low | 700 mm | orange | 1 piece(s) | | Medium hard, for cleaning strong structured floors and deeper joints. Fits R 75. | ı |
| | 18 | 6.906-987.0 | hard | 700 mm | green | 1 piece(s) | | Hard, for heavy soilings und for deep cleaning; for unsensitive floors only. Fits to brush head R 75. | ı |
| | 19 | 6.906-988.0 | very hard | 700 mm | black | 1 piece(s) | | Very hard, for extremly sticky dirt and for for deep cleaning for unsensitive surfaces only. Fits to brush head R 75. | y. , |

[☐] Available accessories.





| | | | | | | | | | |
|-------------------|---|-------------|--------------------------|----------|---------------|----------------|-------|---|------|
| | | Order No. | Hardness / Brush type | Length | Diame- ter | Colour | Price | Description | |
| Pad roller shaft | | | | <u> </u> | | | | | |
| Pad roller shaft | 1 | 4.762-432.0 | | 532 mm | | | | Roller pad shaft, aluminium For roller pads or microfibre rollers, length 532 mm. Fits brush head R 55. | |
| | 2 | 4.762-433.0 | | 638 mm | | | | Roller pad shaft, aluminium For roller pads or microfibre rollers, length 638 mm. Fits brush head R 56. | |
| | 3 | 4.762-434.0 | | 700 mm | | | | fits R 75 | |
| Roller pads | | | | | | | | | |
| Roller pad | 4 | 6.369-454.0 | soft | | 105 mm | yellow | | Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. | |
| | 5 | 6.369-456.0 | medium | | 105 mm | red | | Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length. | |
| | 6 | 6.369-455.0 | hard | | 105 mm | green | | Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft. | |
| Microfibre shaft | | | | | | | - | wat appropriate pad roller share | |
| Microfibre roller | 7 | 4.114-005.0 | Microfibre | 532 mm | 105 mm | light green | | World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-432.0. Fits on R 55. | П |
| | 8 | 4.114-006.0 | Microfibre | 638 mm | 105 mm | light green | | World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-433.0. Fits on R 65. | П |
| | 9 | 4.114-007.0 | Microfibre | 700 mm | 105 mm | light green | | World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-434.0. Fits on R 75. | П |

[☐] Available accessories.





| | | Order No. | Hardness / Brush type | Diameter | Colour | Quanti- ty | Price | Description | |
|--------------|----|-------------|--------------------------|----------|---------|---------------|-------|--|----|
| Disc brushes | ' | | | ' | | | | | |
| Disc brush | 1 | 4.905-015.0 | very soft | 300 mm | White | 1 piece(s) | | very soft, white, for cleaning sensitive surfaces and for polishing; fits D 55 | |
| | 2 | 4.905-016.0 | soft | 300 mm | natural | 1 piece(s) | | Made of natural fibres, for spray cleaning and for polishing. Fits D 55. | |
| | 3 | 4.905-014.0 | medium | 300 mm | red | 1 piece(s) | | Disc brush, medium-hard, red, 300 mm diameter. For normal use. Also suitable for sensitive floors. Standard for brush head D 55. | al |
| | 4 | 4.905-017.0 | hard | 300 mm | black | 1 piece(s) | | Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 55. | |
| | 5 | 4.905-011.0 | very soft | 355 mm | White | 1 piece(s) | | Disc brush, very soft, white, 355 mm diameter. For cleaning sensitive floors and polishing. Fits brush head D 65. Bristle length: 41 cm. | |
| | 6 | 4.905-012.0 | soft | 355 mm | natural | 1 piece(s) | | Made of natural fibres, for spray cleaning and for polishing. Fits D 65. | |
| | 7 | 4.905-010.0 | medium | 355 mm | red | 1 piece(s) | | Disc brush, medium-hard, red, 355 mm diameter. For normal use. Also suitable for sensitive floors. Standard brush head D 65. | al |
| | 8 | 4.905-013.0 | hard | 355 mm | black | 1 piece(s) | | Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 65. | |
| | 9 | 4.905-019.0 | very soft | 385 mm | White | 1 piece(s) | | Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75. | |
| | | 4.905-020.0 | soft | 385 mm | natural | 1 piece(s) | | Made of natural fibres, for spray cleaning and for polishing. Fits D 75. | |
| | 11 | 4.905-018.0 | medium | 385 mm | red | 1 piece(s) | | Medium, for all floors. Standard with D 75. | |
| | 12 | 4.905-021.0 | hard | 385 mm | black | 1 piece(s) | | Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 75. | |

[☐] Available accessories.





| | | Order No. | Hardness / Brush type | Diameter | Colour | Quanti- ty | Price | Description | |
|-----------------|----------|-------------|--------------------------|----------|--------|---------------|-------|--|----|
| Microfibre pad | <u> </u> | | | | | ' | | | Ť |
| Microfibre pad | 1 | 6.371-078.0 | Microfibre | 381 mm | White | 5 piece(s) | | 5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C. | , |
| | 2 | 6.369-959.0 | Microfibre | 356 mm | White | 5 piece(s) | | 5 microfibre pads, white With centre hole, 356 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65. | |
| | 3 | 6.369-120.0 | Microfibre | 280 mm | White | 5 piece(s) | | Microfibre pad set: Five white microfibre pads of diameter 280 mm with centre hole and outstanding cleaning power. Cleans even fine stone tiles right down to the grain. Suitable for D 55 e.g | ž |
| Pads | | | | | | | | | l, |
| Pad | 4 | 6.369-003.0 | medium-soft | 356 mm | red | 5 piece(s) | | 5 pads, medium-soft, red, 356 mm diameter. For cleaning al floors. Suitable for, e.g. D 65. | I |
| | 5 | 6.369-002.0 | medium-hard | 356 mm | green | 5 piece(s) | | 5 pads, medium-hard, green. 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65. | |
| | 6 | 6.369-001.0 | hard | 356 mm | black | 5 piece(s) | | 5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65. | |
| | 7 | 6.369-791.0 | medium-soft | 381 mm | red | 5 piece(s) | | 5 pads, medium-soft, red, 381 mm diameter. For cleaning al floors. Suitable for, e.g. D 75. | I |
| | 8 | 6.369-790.0 | medium-hard | 381 mm | green | 5 piece(s) | | 5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75. | |
| | 9 | 6.369-789.0 | hard | 381 mm | black | 5 piece(s) | | 5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75. | Ī |
| | 10 | 6.371-153.0 | medium-soft | 280 mm | red | 5 piece(s) | | 5 pads, medium-soft, red, 280 mm diameter. For cleaning al floors. Suitable for, e.g. D 55. | I |
| | 11 | 6.371-154.0 | medium-hard | 280 mm | green | 5 piece(s) | | 5 pads, medium-hard, green. 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55. | 1 |
| | 12 | 6.371-155.0 | hard | 280 mm | black | 5 piece(s) | | 5 pads, hard, black, 280 mm diameter. For removing stub- born dirt and basic cleaning. Suitable for, e.g. D 55. | Ī |
| | 13 | 6.371-000.0 | medium-soft | 650 mm | red | 5 piece(s) | | Medium-hard pad (650 x 300 mm) in red version for cleaning all floors in combination with the S 65 head. | |
| | 14 | 4.642-025.0 | hard | 650 mm | brown | 5 piece(s) | | Tough, brown pad (650 x 300 mm) including Velcro fastener For restoring shine in combination with the S 65 head. Only for insensitive surfaces. | |
| Pad drive board | | | | | | | | | |
| Pad drive board | 15 | 4.762-445.0 | | 280 mm | | 1 piece(s) | | Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. | |
| | 16 | 4.762-446.0 | | 335 mm | | 1 piece(s) | | Suitable for, e.g. D 55. Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65. | + |
| | 17 | 4.762-447.0 | | 375 mm | | 1 piece(s) | | Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D.75. | 1 |

[☐] Available accessories.





| | | | Hardness / | | | Quanti- | | |
|---------------------------|----|-------------|------------|------------|--------|---------------|-------|-------------|
| | | Order No. | Brush type | Diameter | Colour | ty | Price | Description |
| Diamond pad | | | | | | | | |
| Diamond pad | 18 | 6.371-250.0 | coarse | 356 mm | White | 5 piece(s) | | |
| | 19 | 6.371-252.0 | coarse | 385 mm | White | 5 | | - |
| | | | | | | piece(s) | | |
| | 20 | 6.371-246.0 | coarse | 280 mm | White | 5 | | |
| | 21 | 6.371-251.0 | medium | 356 mm | vellow | piece(s) | | |
| | 21 | 0.371-231.0 | mediom | 330 111111 | yellow | piece(s) | | |
| | 22 | 6.371-253.0 | medium | 385 mm | yellow | 5 | | |
| | | | | | | piece(s) | | |
| | 23 | 6.371-247.0 | medium | 280 mm | yellow | 5 piece(s) | | |
| | 24 | 6.371-235.0 | fine | 356 mm | green | 5 | | |
| | | | | | | piece(s) | | |
| | 25 | 6.371-236.0 | fine | 385 mm | green | 5 | | |
| | 26 | 6.371-233.0 | fine | 280 mm | green | piece(s) | | |
| | 20 | 0.571 255.0 | Title | 200 111111 | Breen | piece(s) | | |
| Melaminpads | | | | | | | | |
| Pad set 2x D 280 Melamin | 27 | 6.371-019.0 | | 280 mm | | 2 | | |
| Ond out Du D. DEC Malamia | 20 | 6 274 024 0 | | 250 200 | | piece(s) | | - |
| Pad set 2x D 356 Melamin | 28 | 6.371-021.0 | | 356 mm | | 2 piece(s) | | |
| Pad set 2x D 381 Melamin | 29 | 6.371-022.0 | | 381 mm | | 2 | | 1 |
| | | | | | | piece(s) | | |

[☐] Available accessories.





| | | | | | 1 | |
|---------------------|---|-------------|--|-------|--|--|
| | | Order No. | | Price | Description | |
| Brush heads | | | | | | |
| Brush head R 55 | 1 | 2.763-002.0 | | | Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately. | |
| Brush head D 55 | 2 | 2.763-001.0 | | | Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splash guards are adjustable in the height. So the water will be kept under the brushhead. The cleaning solution will be run optimally to the squeegee: Packed separately. | |
| Brush head R 65 | 3 | 2.763-004.0 | | | Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately. | |
| Brush head D 65 | 4 | 2.763-003.0 | | | Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | |
| Floor head S 65 | 5 | 2.763-030.0 | | | Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners. | |
| Brush head R 75 | 6 | 2.763-006.0 | | | Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | |
| Brush head D 75 | 7 | 2.763-005.0 | | | Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | |
| Connection kit S 65 | 8 | 4.036-061.0 | | | | |

Connection kit \$ 65

Available accessories.





| | | | | | Quanti- | | |
|--------------------------------|---|-------------|--------|----------|---------------|-------|-------------|
| Other attachment kits | | Order No. | Length | Diameter | ty | Price | Description |
| Suction hose accessories | 1 | 4.444-015.0 | 3.25 m | | 1 piece(s) | | |
| Support roller kit | 2 | 2.641-773.0 | | | 1 piece(s) | | |
| Flashing beacon attachment kit | 3 | 2.641-718.0 | | | 1 piece(s) | | |
| Auto-Fill | 4 | 2.641-748.0 | | | 1 piece(s) | | |

[☐] Available accessories.