

NT 90/2 Me Classic

With its generous 90-litre container, the dual-motor NT 90/2 Me Classic wet and dry vacuum cleaner can vacuum large quantities of wet and coarse dirt. With outstanding suction power, handling and quality.









Vacuum without filter bags

- The two-motor NT Classic vacuum cleaners are fitted with the triedand-tested Kärcher cartridge filter.
- The cartridge filter enables sustained suction without a filter bag.

Excellent suction power

- 2 powerful turbines ensure outstanding suction power.
- The strong suction power ensures excellent cleaning results and the utmost efficiency.

Robust and easy to transport

- Extremely mobile on all surfaces thanks to the robust chassis, large wheels and metal castors.
- The standard push handle ensures convenient transport.

Drain hose

Easily accessible drain hose for convenient liquid disposal.

TECHNICAL DATA AND EQUIPMENT





NT 90/2 Me Classic

- Strong suction powerSimple turbine change
- Drain hose

Technical data		
Order No.		1.667-701.0
EAN code		4039784947238
Air flow rate	I/s	2 x 53
Vacuum	mbar / kPa	225 / 22.5
Container capacity	1	90
Max. rated input power	W	2300
Standard nominal width		40
Sound pressure level	dB(A)	76
Container material		stainless steel
Number of motors		2
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	19
Dimensions (L × W × H)	mm	560 × 502 × 977
Equipment		
Suction hose	m	2.5
Suction tube, metal 2 x 0.5 m		I
Wet and dry floor nozzle	mm	360
Crevice nozzle		I
Cartridge filter		1
Drain hose		I
Automatic switch-off and FI circuit breaker		
Stainless steel container		I
Push handle		I
Included in delivery		

■ Included in delivery.

ACCESSORIES FOR NT 90/2 ME CLASSIC 1.667-701.0













		Order No.	Quantity	ID	Length	Width	Price	Description
Crevice nozzles								
Crevice nozzle	1	9.770-877.0	1 piece(s)	ID 40	300 mm			
Cartridge filter paper								
Cartridge filter, paper	2	6.907-038.0	1 piece(s)					Paper cartridge filter (M BIA-C dust class M), suitable as a main filter for dry and wet pick up.
Bend, plastic								
Plastic bend	3	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.
Floor nozzles								
Floor nozzle, wet	4	9.770-880.0	1 piece(s)	ID 40		360 mm		
Floor nozzle, dry	5	9.770-949.0	1 piece(s)	ID 40		350 mm		Plastic dry floor nozzle with side rollers and brush strips.
Suction tubes, metal								
Suction tube	6	6.900-275.0	1 piece(s)	ID 40	0.5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m),
								standard for virtually all two-motor industrial vacuum clea-
								ners. Optional for industrial single-motor NT vacuum clea-
								ners with DN 40 suction hose.
Suction hoses complete	1 -	1 0 770 004 0	l 4 =:===(=)	LID 40	125	1	ı	1_
Suction hose, complete	7	9.770-881.0	1 piece(s)	ID 40	2.5 m			
Car cleaning nozzles	1 -	l	1	1			ı	1
Car nozzle	8	6.900-952.0	1 piece(s)	ID 40		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.
Other			1					working widen. Only for 141 vacoon cleaners.
CS 40 Me	9	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all
			_ p.ccc(s)					Kärcher wet and dry vacuum cleaners is a specially design
								ned accessory for fine dust applications on construction
								sites or in industry.

 $[\]blacksquare$ Included in delivery. \qed Available accessories.