



NT 35/1 Ap

The NT 35/1 Ap is based on the same platform as the NT 25/1 Ap, has 10 liters more container capacity and is the successor to the NT 361 Eco.



1 ApClean (semi-automatic filter cleaning system)

- The semi-automatic filter cleaning feature keeps the filter clean for maximum suction power.



2 Mobility and power

- Professional mobility guaranteed.
- The NT 25/1 combines compact design and performance for professional use.



3 Practical cable storage compartment

- Hooks for safe and secure cable storage.



4 No more tripping up when you're in a hurry!

- Practical Cable hook for easy transport.



NT 35/1 Ap

- Semi-automatic filter cleaning
- Accessory/suction hose storage
- Integrated cable hook

Technical data

Order No.	1.184-505.0	
EAN code	4039784717305	
Air flow rate	l/s	74
Vacuum	mbar / kPa	254 / 25.4
Container capacity	l	35
Max. rated input power	W	1380
Standard nominal width		35
Sound pressure level	dB(A)	70
Container material		plastic
Number of motors		1
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	11.5
Dimensions (L × W × H)	mm	510 × 370 × 575

Equipment

Suction hose	m	2.5
Suction tube, metal 2 x 0.5 m		■
Filter bag		Fleece
Wet and dry floor nozzle	mm	300
Crevice nozzle		■
Flat pleated filter		Paper
Protection class		II
Filter cleaning		ApClean (semi-automatic filter cleaning system)

■ Included in delivery.

ACCESSORIES FOR NT 35/1 AP

1.184-505.0

KÄRCHER



		Order No.	Quantity	ID	Length	Width	Price	Description		
Flat pleated filter, paper										
Flat pleated filter, paper	1	6.904-367.0	1 piece(s)					Paper flat pleated filter (dust class M) suitable for NT 361, NT 561, NT 611 Eco/Te/M and NT 35/1, NT 45/1, NT 55/1 Eco/Eco Te/Eco M.	■	
Bend, plastic										
Plastic bend	2	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■	
Bend, plastic, electrically conductive	3	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□	
	4	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□	
Plastic bend	5	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.	□	
Crevice nozzles										
Crevice nozzle	6	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■	
	7	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□	
	8	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	□	
	9	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□	
	10	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□	
Suction tubes, metal										
Suction tube	11	6.900-514.0	1 piece(s)	ID 35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	■	
	12	6.900-275.0	1 piece(s)	ID 40	0.5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	□	
Complete suction hoses (clip system)										
Suction hose	13	4.440-626.0	1 piece(s)	ID 35	2.5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.	■	
Suction hose, electrically conductive	14	4.440-653.0	1 piece(s)	ID 35	2.5 m			2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.	□	
Connection adaptor for power tools, clip-on, electrically conductive										
Connection adaptor for power tools, C 35, electrically conductive	15	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	■	

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 AP

1.184-505.0

KÄRCHER



	Order No.	Quantity	ID	Length	Width	Price	Description	
Connection Adaptor for power tools, C 35, electrically conductive	16	5.453-048.0	1 piece(s)	ID 35			Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.	<input type="checkbox"/>
	17	5.453-049.0	1 piece(s)	ID 35			Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
	18	5.453-050.0	1 piece(s)	ID 35			Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	<input type="checkbox"/>
	19	5.453-051.0	1 piece(s)	ID 35			Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	<input type="checkbox"/>
	20	5.453-052.0	1 piece(s)	ID 35			Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
Fleece filter bags (three-ply)								
Fleece filter bags	21	6.907-479.0	5 piece(s)					<input checked="" type="checkbox"/>
Adv fleece filter bags	22	6.904-351.0	5 piece(s)				3-ply tear-resistant fleece filter bags (dust class M). For dry pick up, suitable for the following models: NT 361 Eco, Eco TE, TE-A and NT 361 Eco M, NT 35/1 Eco, Eco Te, Eco M. Contents: x5	<input type="checkbox"/>
Micro sprayer sets								
Nozzle kit	23	2.860-116.0	1 piece(s)	ID 35			Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	<input type="checkbox"/>
Flat pleated filter, PES								
Flat pleated filter, PES	24	6.904-360.0	1 piece(s)				Flat pleated filter (PES) - BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Standard for NT 35/1 Eco BS and NT 55/1 Eco BS.	<input type="checkbox"/>
Coarse dirt filter for wet vacuuming								
Coarse dirt filter	25	6.904-287.0	1 piece(s)				Coarse dirt filter with perforated metal plate and foam seal suitable for wet pick up - NT 611 Eco K & KF models.	<input type="checkbox"/>
Fabric filter								
Membrane filter	26	6.904-212.0	1 piece(s)				Polyester needle fleece membrane/fabric filter, washable up to 40°C, suitable for all NT 361 Eco to NT 611 Eco versions as an alternative to a filter bag.	<input type="checkbox"/>
HEPA, dust class H filter								
HEPA flat pleated filter	27	6.904-242.0	1 piece(s)				HEPA surface filter - dust class H (HEPA 13) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	<input type="checkbox"/>
Paper filter bags (two-ply)								
Paper filter bags	28	6.904-259.0	5 piece(s)				5 paper filter bags (BIA-C dust class M) with reinforced outer ply (e.g. cement dust). For all NT 361 Eco models (except Eco H).	<input type="checkbox"/>
Plastic sacks for dust-free disposal								
Plastic sacks for dust-free disposal	29	6.596-886.0	10 piece(s)				PE plastic sack.	<input type="checkbox"/>
Wet filter bag								
Wet filter bag	30	6.904-171.0	5 piece(s)				Approved for dust class L, general cleaning, wet and dry, tear-resistant.	<input type="checkbox"/>
Bends, stainless steel								
Bend, stainless steel, ID 35	31	6.903-141.0	1 piece(s)	ID 35			Stainless steel and crooked, ID 35	<input type="checkbox"/>
Bend, stainless steel, ID 40	32	6.902-079.0	1 piece(s)	ID 40			Stainless steel and crooked, ID 40	<input type="checkbox"/>
Bends, metal								
Bend, metal	33	6.900-519.0	1 piece(s)	ID 35			Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el.).	<input type="checkbox"/>
	34	6.900-276.0	1 piece(s)	ID 40			Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el.).	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 AP

1.184-505.0

KÄRCHER



		Order No.	Quantity	ID	Length	Width	Price	Description	
All-purpose brushes									
All-purpose brush	35	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	<input type="checkbox"/>
Floor nozzles									
Wet and dry floor nozzle	36	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
Multi-purpose nozzle, wet/dry	37	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
	38	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
	39	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
	40	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
	41	6.906-554.0	1 piece(s)	ID 40		360 mm		All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	<input type="checkbox"/>
Rubber tool									
Rubber nozzle, ID 40	42	4.763-057.0	1 piece(s)	40				Rubber.	<input type="checkbox"/>
Rubber suction tools, nose 45°									
Rubber suction tool, nose 45°	43	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	44	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Combi-nozzles, dry									
Combi-nozzle dry	45	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	<input type="checkbox"/>
	46	6.906-639.0	1 piece(s)	ID 35		262 mm		Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
Pipe dusting nozzles									
Pipe brush 35/100	47	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
Pipe brush 35/200	48	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
Suction brushes									
Suction brush	49	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	<input type="checkbox"/>
Turbo nozzles									
Turbo upholstery nozzle	50	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Turbo floor nozzle	51	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 AP

1.184-505.0

KÄRCHER



		Order No.	Quantity	ID	Length	Width	Price	Description	
Suction tubes, stainless steel									
Suction tube	52	6.902-081.0	1 piece(s)	ID 40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
	53	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
	54	6.902-154.0	1 piece(s)	ID 35	0.5 m				<input type="checkbox"/>
Suction tubes, plastic									
Suction tube	55	6.900-384.0	1 piece(s)	ID 35	0.5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
Suction tube, DN 61	56	6.900-224.0						Plastic	<input type="checkbox"/>
Extension tube, metal									
Extension tube, metal, ID 35	57	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.	<input type="checkbox"/>
Repair kits									
Repair kit, C 35	58	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>
Suction hoses (clip system)									
Suction hose	59	6.906-241.0	1 piece(s)	35	4 m			4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	60	6.906-275.0	1 piece(s)	35	2.5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	61	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	62	6.906-321.0	1 piece(s)	40	4 m			4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
	63	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	<input type="checkbox"/>
	64	6.906-546.0	1 piece(s)	40	4 m			Electrically conductive, 4 m suction hose with bayonet and C 40 clip connection. Without bend and adapter.	<input type="checkbox"/>
	65	6.906-877.0	1 piece(s)	40	10 m			Suction hose with bayonet coupling, electrically conductive.	<input type="checkbox"/>
Suction hose (clip system), C 35, 10 m	66	6.906-242.0	1 piece(s)	C- 35	10 m			Electrically conductive 10 m suction hose with bayonet adaptor and C 40 clip adaptor. Without manifold or connection bushing.	<input type="checkbox"/>
Suction hoses (without connectors)									
Suction hose, DN 32 and 35 (without connectors)	67	6.389-838.0		32	10 m			Standard (not T 201 with ESB 28).	<input type="checkbox"/>
Suction hoses complete									
Suction hose, complete, 120°C	68	4.440-339.0	1 piece(s)	ID 35	2.5 m			Temperature-resistant to 120 °C.	<input type="checkbox"/>
Suction hose, complete	69	4.440-446.0	1 piece(s)	ID 27	3.5 m			Electrically non-conductive suction hose (3.5 m) with DN 27 adapter for power tools at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	<input type="checkbox"/>
	70	4.440-461.0	1 piece(s)	ID 27	7 m			Electrically non-conductive suction hose (7 m) with DN 27 power tool adapter at accessory end and DN 27 bayonet at vacuum end. Connectors available on request.	<input type="checkbox"/>
Connecting sleeves									
Connecting adaptor, ID 27, electrically conductive.	71	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conductive.	<input type="checkbox"/>
Adaptor, ID 32/35, with internal thread	72	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adaptor with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 AP

1.184-505.0

KÄRCHER



		Order No.	Quantity	ID	Length	Width	Price	Description	
Connecting adaptor, ID 40, with internal thread	73	6.900-286.0	1 piece(s)	ID 40				Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors.	<input type="checkbox"/>
Connecting sleeve, ID 61, with female thread	74	6.902-078.0	1 piece(s)	ID 61				For connecting 2 suction hoses, thread on both sides	<input type="checkbox"/>
Extension hoses (clip system)									
Extension hose	75	6.906-237.0	1 piece(s)	ID 32	2.5 m			Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.	<input type="checkbox"/>
Extension hose, electrically conductive	76	6.906-277.0	1 piece(s)	ID 32	2.5 m			for all C-32 and C-35 hoses, electrically conductive.	<input type="checkbox"/>
Y-adaptor kit									
Y-adaptor kit	77	2.637-217.0	1 piece(s)	ID 35				Plastic distributor - suitable for NT vacuum cleaners.	<input type="checkbox"/>
Connection adaptor C ID (clip to cone), electrically conductive									
Connection adaptor C DN 35	78	5.407-112.0	1 piece(s)	ID 35				C 35 hose connector for DN 35 accessory, electrically conductive.	<input type="checkbox"/>
Connection adaptor C DN 40	79	5.407-109.0	1 piece(s)	ID 40				Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
	80	5.407-111.0	1 piece(s)	ID 40				C 40 hose connector for DN 40 accessory, electrically conductive.	<input type="checkbox"/>
Adaptor for electric power tools, screwable									
Adaptor for electric power tools, screwable, ID 35	81	2.639-129.0	1 piece(s)	ID 35				Adaptable three-step plastic sleeve for power tools. Designed to thread onto a DN 35 industrial suction hose. With fitting instructions.	<input type="checkbox"/>
	82	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
	83	5.453-026.0	1 piece(s)	ID 35				Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	<input type="checkbox"/>
	84	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	<input type="checkbox"/>
	85	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	<input type="checkbox"/>
Expansion pieces (tube -> nozzle)									
Adapter ID 35 - 40 (tube -> nozzle)	86	6.902-084.0	1 piece(s)	ID 35				From DN 35 to DN 40: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Reducing sleeves									
Reducer	87	5.407-108.0	1 piece(s)	ID 40				Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Reducers (tube -> nozzle)									
Reducer	88	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to ID 32	89	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
Reduction/expansion adapter kit									
Set of reducers / adapter sleeves	90	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>
Target-group-specific accessory kits for vacuum cleaners									
Universal kit for industrial and commercial use	91	2.637-595.0		ID 35				Accessory kit for industrial and commercial use.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 AP

1.184-505.0

KÄRCHER



92



93-94



95



96



97



99



100



101

		Order No.	Quantity	ID	Length	Width	Price	Description	
Heating boiler cleaning kit	92	2.638-852.0		ID 35				Accessory kit for vacuuming and cleaning boilers, oil stoves, etc.	<input type="checkbox"/>
Construction kit	93	2.637-352.0		ID 40				Building and ancillary trade accessory kit.	<input type="checkbox"/>
Professional cleaning kit	94	2.637-353.0		ID 40				Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	<input type="checkbox"/>
Horse kit, electrically conductive	95	2.637-248.0		ID 40				Target group-specific accessory kit for horse and pony breeders or owners	<input type="checkbox"/>
Wet and dry vacuuming kit, ID 40, electrically conductive	96	2.638-147.0		ID 40				Wet and dry vacuum cleaner kit, electrically conductive, DN 40.	<input type="checkbox"/>
Modification kit, non-conductive media									
ABS non-conductive media	97	2.641-560.0	1 piece(s)					For switching off when vacuuming non-conductive fluids such as oils and greases.	<input type="checkbox"/>
Flat pleated filter, PTFE									
Flat pleated filter, PTFE	98	6.907-455.0	1 piece(s)						<input type="checkbox"/>
Car cleaning nozzles									
Car nozzle	99	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
Other									
Drilling dust nozzle	100	2.679-000.0	1 piece(s)						<input type="checkbox"/>
CS 40 Me	101	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 AP

1.184-505.0



		Order No.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR NT 35/1 AP

1.184-505.0



		Order No.	Quantity	ID	Length / width	Price	Description	
Other nozzles								
Rubber suction nozzle, 45°	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	<input type="checkbox"/>

Included in delivery.
 Available accessories.

ACCESSORIES FOR NT 35/1 AP 1.184-505.0

		Order No.					Price	Description	
Suction tubes									
	1	6.900-274.0						metal	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.