



B 60 W

Walk-behind scrubber drier (60 l) with traction drive. Ideal for 1,000-2,500 m². Configuration example with disc brushes, 65 cm working width and battery (180 Ah).



1 Four batteries to choose from

- Battery types: maintenance-free 105 Ah (C5), maintenance-free 170 Ah (C5) with fleece technology, maintenance-free or low-maintenance 180 Ah (C5). Also available as a mains-operated version.
- The charging curve of the built-in charger is perfectly adjusted to the various battery types.

2 Auto fill-in

- Time-saving filling of the fresh water tank.
- Filling via the fresh water hose stops automatically when the tank is full.

3 Brush head with disc engineering

- Different working widths available from 51 to 65 cm.
- Simple brush replacement in seconds: unlocking the brush via foot pedal, locking by lowering the machine or clipping in manually.

4 EASY Operation

- Simple to use.
- The basic functions are controlled with the EASY switch.



B 60 W

Technical data

Order No.	1.384-020.2	
EAN code	4039784582545	
Vacuuming working width	mm	850
Fresh/dirty water tank	l	60 / 60
Max. area performance	m ² /h	2600
Brush speed	rpm	180
Brush contact pressure	g/cm ²	-26
Frequency	Hz	50-60
Voltage	V	100-240
Rated input power	W	max. 2100
Weight	kg	113
Dimensions (L × W × H)	mm	1520 × 746 × 1147
Battery voltage	V	24
Battery capacity	Ah	180

Equipment

Disc brush	■	
FACT	-	
Dose	-	
Battery type	Maintenance-free	
Tank-in-tank construction style	■	
Traction motor	W	300

■ Included in delivery.

ACCESSORIES FOR B 60 W

1.384-020.2

KÄRCHER



1-19

		Order No.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)		The yellow KIK key does not offer the operator any possibilities to make adjustments.	■
KIK key, grey	2	5.035-348.0		grey	1 piece(s)		The grey KIK key is reserved for the supervisor, who can grant access rights with it for the operator's key.	■
Filling hose	3	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
KIK key, white	4	4.035-076.0		White	1 piece(s)			□
KIK key set, yellow	5	4.035-408.0		yellow	5 piece(s)			□
KIK key set, white	6	4.035-064.0		White	5 piece(s)			□
Fleet management module	7	2.643-347.0			1 piece(s)			□
KIK key, red	8	5.035-337.0		red	1 piece(s)			□
Add-on kit ecolzero	9	5.388-133.0			1 piece(s)			□
Home Base accessories								
Home Base Box Kit	10	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	□
Adapter Homebase	11	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	□
Double hook	12	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Holder handhold grey	13	6.980-078.0			1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Holder bottle	14	6.980-080.0			1 piece(s)			□
Universal hook kit	15	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	□
Wheels/tyres								
Wheel, oil resistant	16	6.435-702.0			1 piece(s)			□
Sports hall attachment kit	17	4.744-162.0			1 piece(s)			□
Dosing aids								
DS 3 Cleaning Agent Dosing Station	18	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).	□
Wiping flaps								
Modification kit, squeegee blades for brush head	19	2.763-031.0			1 piece(s)			□

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 60 W

1.384-020.2



1-12

		Order No.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
Disc brushes									
Disc brush	1	4.905-028.0	very soft	510 mm	White	1 piece(s)			<input type="checkbox"/>
	2	4.905-027.0	soft	510 mm	natural	1 piece(s)			<input type="checkbox"/>
	3	4.905-026.0	medium	510 mm	red	1 piece(s)			<input type="checkbox"/>
	4	4.905-029.0	hard	510 mm	black	1 piece(s)			<input type="checkbox"/>
	5	4.905-015.0	very soft	300 mm	White	1 piece(s)		very soft, white, for cleaning sensitive surfaces and for polishing; fits D 55	<input type="checkbox"/>
	6	4.905-016.0	soft	300 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 55.	<input type="checkbox"/>
	7	4.905-014.0	medium	300 mm	red	1 piece(s)		Disc brush, medium-hard, red, 300 mm diameter. For normal use. Also suitable for sensitive floors. Standard for brush head D 55.	<input type="checkbox"/>
	8	4.905-017.0	hard	300 mm	black	1 piece(s)		Hard, for heavy soiling and for deep cleaning. For unsensitive floors only. Fits D 55.	<input type="checkbox"/>
	9	4.905-011.0	very soft	355 mm	White	1 piece(s)		Disc brush, very soft, white, 355 mm diameter. For cleaning sensitive floors and polishing. Fits brush head D 65. Bristle length: 41 cm.	<input type="checkbox"/>
	10	4.905-012.0	soft	355 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 65.	<input type="checkbox"/>
	11	4.905-010.0	medium	355 mm	red	1 piece(s)		Disc brush, medium-hard, red, 355 mm diameter. For normal use. Also suitable for sensitive floors. Standard brush head D 65.	<input type="checkbox"/>
	12	4.905-013.0	hard	355 mm	black	1 piece(s)		Hard, for heavy soiling and for deep cleaning. For unsensitive floors only. Fits D 65.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 60 W

1.384-020.2

KÄRCHER



1-16

		Order No.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
Microfibre pad									
Microfibre pad	1	6.371-271.0	Microfibre	508 mm	White	5 piece(s)			<input type="checkbox"/>
	2	6.369-959.0	Microfibre	356 mm	White	5 piece(s)		5 microfibre pads, white With centre hole, 356 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65.	<input type="checkbox"/>
Pads									
Pad	3	6.369-002.0	medium-hard	356 mm	green	5 piece(s)		5 pads, medium-hard, green. 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	<input type="checkbox"/>
	4	6.369-001.0	hard	356 mm	black	5 piece(s)		5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	<input type="checkbox"/>
	5	6.371-149.0	soft	432 mm	beige / natural	5 piece(s)			<input type="checkbox"/>
	6	6.369-079.0	medium-soft	508 mm	red	5 piece(s)		Medium soft, for wet-cleaning of all surfaces and for spray cleaning.	<input type="checkbox"/>
	7	6.369-078.0	medium-hard	508 mm	green	5 piece(s)		Medium hard, for cleaning stubborn soilings and for deep cleaning.	<input type="checkbox"/>
	8	6.369-077.0	hard	508 mm	black	5 piece(s)		Hard, for persistent soilings and for deep cleaning.	<input type="checkbox"/>
	9	6.371-153.0	medium-soft	280 mm	red	5 piece(s)		5 pads, medium-soft, red, 280 mm diameter. For cleaning all floors. Suitable for, e.g. D 55.	<input type="checkbox"/>
	10	6.371-154.0	medium-hard	280 mm	green	5 piece(s)		5 pads, medium-hard, green. 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	<input type="checkbox"/>
	11	6.371-155.0	hard	280 mm	black	5 piece(s)		5 pads, hard, black, 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	<input type="checkbox"/>
	12	6.371-000.0	medium-soft	650 mm	red	5 piece(s)		Medium-hard pad (650 x 300 mm) in red version for cleaning all floors in combination with the S 65 head.	<input type="checkbox"/>
	13	4.642-025.0	hard	650 mm	brown	5 piece(s)		Tough, brown pad (650 x 300 mm) including Velcro fastener. For restoring shine in combination with the S 65 head. Only for insensitive surfaces.	<input type="checkbox"/>
Pad drive board									
Pad drive board	14	4.762-534.0		479 mm		1 piece(s)			<input type="checkbox"/>
	15	4.762-445.0		280 mm		1 piece(s)		Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55.	<input type="checkbox"/>
	16	4.762-446.0		335 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 60 W

1.384-020.2



17-25

		Order No.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
Diamond pad									
Diamond pad	17	6.371-250.0	coarse	356 mm	White	5 piece(s)			<input type="checkbox"/>
	18	6.371-260.0	coarse	508 mm	White	5 piece(s)			<input type="checkbox"/>
	19	6.371-246.0	coarse	280 mm	White	5 piece(s)			<input type="checkbox"/>
	20	6.371-251.0	medium	356 mm	yellow	5 piece(s)			<input type="checkbox"/>
	21	6.371-261.0	medium	508 mm	yellow	5 piece(s)			<input type="checkbox"/>
	22	6.371-247.0	medium	280 mm	yellow	5 piece(s)			<input type="checkbox"/>
	23	6.371-235.0	fine	356 mm	green	5 piece(s)			<input type="checkbox"/>
	24	6.371-240.0	fine	508 mm	green	5 piece(s)			<input type="checkbox"/>
	25	6.371-233.0	fine	280 mm	green	5 piece(s)			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 60 W

1.384-020.2



		Order No.	Length	Colour	Quantity	Price	Description	
Squeegees for suction bars								
Suction lips	1	6.273-207.0	890 mm	transparent	2 -part		Standard, grooved, oil-resistant.	<input type="checkbox"/>
	2	6.273-229.0	890 mm	transparent	2 -part		Slotted, oil-resistant, polyurethane, for sensitive floors.	<input type="checkbox"/>
	3	6.273-213.0	890 mm	blue	2 -part		Fluted, standard, natural rubber.	<input type="checkbox"/>
	4	6.273-290.0	890 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	<input type="checkbox"/>
Suction lips for V-squeegee	5	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	<input type="checkbox"/>
Squeegee, complete								
V-squeegee	6	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm-long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 60 W

1.384-020.2



1-2

		Order No.					Price	Description	
Brush heads									
Floor head S 65	1	2.763-030.0						Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	<input type="checkbox"/>
Connection kit S 65	2	4.036-063.0							<input type="checkbox"/>

■ Included in delivery. Available accessories.

ACCESSORIES FOR B 60 W

1.384-020.2



		Order No.	Length	Diameter	Quantity	Price	Description	
Other attachment kits								
Suction hose accessories	1	4.444-015.0	3.25 m		1 piece(s)			<input type="checkbox"/>
Auto-Fill	2	4.035-345.0			1 piece(s)			<input type="checkbox"/>
Spray extraction mounting kit								
Spray suction attachment kit	3	2.642-833.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 60 W

1.384-020.2



1-2

		Order No.	Quantity	Battery voltage	Battery capacity	Battery type	Price	Description	
Battery and charger kits									
Quick charger set V 24 V / 164 Ah	1	2.642-558.0	1 piece(s)	24 V	164 Ah	Maintenance-free			<input type="checkbox"/>
Accessories for batteries									
Spacer	2	4.642-019.0	1 piece(s)						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

ACCESSORIES FOR B 60 W

1.384-020.2



1

		Order No.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.