



# T 15/1

With the dry vacuum cleaner T 15/1 we modernize our existing, commercial dry vacuum cleaner range and reoccupy this important market segment with a top class model.



### 1 Highflex power cord

- The yellow Highflex cord is extremely tough, flexible and anti-twist.
- It can be wound around the top of the machine or stored on the cable hook.

### 2 Integrated accessory storage

Accessory storage at the rear for easy access in any cleaning situation.

# **TECHNICAL DATA AND EQUIPMENT**



### T 15/1

Integrated accessory storage

- Integrated power cord/suction hose storage
- Highflex power cord

Technical data		
Order no.		1.355-200.0
EAN code		4039784723436
Air flow rate	l/s	53
Vacuum	mbar / kPa	240 / 24
Container capacity	1	15
Max. rated input power	W	800
Standard nominal width		35
Sound pressure level	dB(A)	62
Sound power level	dB(A)	76
Weight	kg	8
Dimensions (L × W × H)	mm	435 × 315 × 400
Energy efficiency class (out of A+++ to D)		В

#### Equipment

Equipment		
Suction hose	m	2.5
Telescopic suction tube		standard
Filter bag		fleece
Switchable floor nozzle	mm	285
Container material		plastic
Floor nozzle		I contraction of the second
Crevice nozzle		I Contraction of the second
Radiator nozzle		I contraction of the second seco
Upholstery nozzle		I Contraction of the second
Included in delivery.		

# **ACCESSORIES FOR T 15/1** 1.355-200.0

		3-4		5-6	0	7	-		
		17		18		19			
		Order no.	Quantity	ID	Length	Width	Price	Description	
Exhaust air filter Standard exhaust filter	1	6.414-802.0	3 piece(s)					Standard exhaust filter and diffusor for reducing filtered a	ir. 💶
								Made of foam. Motor protection filter, removable fleece, which can be	ur.
Motor protection filter	2	6.414-611.0	5 piece(s)					Motor protection filter, removable fleece, which can be replaced when heavily soiled.	
Main filter baskets Permanent main filter basket	3	5.731-640.0	1 piece(s)					Main filter basket for T 15/1, T 12/1 and T 17/1 can be us as a main filter with or without filter bag. Nylon-plastic frame, washable up to 40°C.	ed
	4	4.731-011.0	1 piece(s)					Plastic frames with reinforced fleece material, washably to 40°C.	<sup>D</sup>
Fleece filter bags (three-ply) Fleece filter bags	5	6.907-017.0	10 piece(s)					Extremely tear-resistant, 3-ply fleece filter bags, dust clas	
	J	0.507 017.0	10 piece(3)					M. Fleece filter bags have 2 to 3 times the capacity of con ventional paper filter bags. Standard for T 15/1 and T 17/	-
Fleece filter bags, bulk value pack	6	6.907-018.0	200 piece(s)					Tear-resistant, 3-ply, dust M class, bulk user pack.	
Bend, plastic Bend Adv, antistatic, with second-	7	2.889-148.0	1 piece(s)	ID 35					
ary air slider		2.000 110.0	1 prece(0)						
Crevice nozzles	8	2.889-130.0	1 piece(s)	ID 35	210 mm				
Combi-nozzles, dry	0	2.005 150.0	1 piece(5)	10.55	210 1111				
Combi-nozzle	9	2.889-129.0	1 piece(s)	ID 35		295 mm			
	10	6.907-410.0	1 piece(s)	ID 32		270 mm			
Combination floor tool for parquet	11	6.906-107.0	1 piece(s)	ID 32		360 mm		Plastic combination floor tool for parquet (DN 32) with brush strips and two rollers, suitable for all industrial T vacuum cleaners. Combination floor tool without changeo- ver function. 360 mm	
Combi-nozzle for parquet	12	6.907-486.0	1 piece(s)	ID 32		300 mm			
	13			ID 35		360 mm		-	
Combi-nozzle, dry	14 15	2.889-197.0 6.906-812.0	1 piece(s)	ID 35 ID 32		300 mm 255 mm		Plastic combination floor tool with plastic base plate and two rollers.	
Upholstery nozzles		1	1	1			1		
Upholstery nozzle	16	2.889-131.0	1 piece(s)	ID 35		120 mm			
	17	6.903-402.0	1 piece(s)	ID 32		120 mm		Plastic upholstery tool (DN 32) with thread catcher, stand- ard for T 201, T 201 + ESB 28. Optional for T 7/1, T 191, T 10/1.	
Suction tubes, metal									
Telescopic suction tube	18	2.862-008.0	1 piece(s)	ID 35	0.61 m				
Suction tube	19	6.906-618.0	1 piece(s)	ID 32	0.5 m			Metal suction tube (DN 32, length 0.5 m) with black plastic coating, suitable as an extension, e.g. vacuuming ceilings.	
Telescopic suction tube	20	6.903-524.0	1 piece(s)	ID 32				Chromium-plated metal telescopic tube (DN 32, length: 0.61-1 m), suitable as an extension, e.g. vacuuming ceiling	s.
Suction tube	21	6.903-850.0	1 piece(s)	ID 32	0.5 m			Metal	
Complete suction hoses (clip system				1	Le.		1		I
Suction hose	22		1 piece(s)	ID 35	2.5 m			-	
Suction hose, complete	23		1 piece(s)	ID 32	2.5 m				

Suction hose, complete 23 4.440-982.0 ■ Included in delivery. □ Available accessories.

## **ACCESSORIES FOR T 15/1** 1.355-200.0

		27		28		29	38	$ \begin{array}{c}   \end{array} $
		Order no.	Quantity	ID	Length	Width	Price	Description
HEPA, dust class H filter								· ·
HEPA flat pleated filter	24	6.414-801.0	1 piece(s)					HEPA filter cassette (paper/plastic) - H 12 - increases filter capacity and improves exhaust air. Optional (with Professional version as standard) filter instead of exhaust filter cassette.
Paper filter bags (two-ply)			1		1	1	1	
Paper filter bags, bulk pack	25	6.907-016.0	200 piece(s)					Bulk user pack of 200 pc. , BIA-C, dust class M approved
Paper filter bags	26	6.907-019.0	10 piece(s)					10 paper filter bags (BIA-C dust class M) as optional accessories for use in all industrial dry vacuum cleaners (e.g. T 15/1 and T 17/1).
Fabric filter bag			1	1	1		1	
Fabric filter bag	27	6.904-316.0	1 piece(s)					Cotton filter bags, washable up to 40°C, suitable for T7/1, T $$\square$$ 10/1 and T 12/1 models.
Inaktiv Plastic bend	28	4.408-052.0	1 piece(s)	ID 32				Electrically conductive plastic bend (DN 32) with C-32 clip system, reduces static buildup. Optional for BV 111, T 7/1, T 191, T 10/1, T 12/1, T 201/T201 + ESB 28.
All-purpose brushes	1		L		1	1	1	
Multi-purpose brush	29	6.906-122.0	1 piece(s)	ID 32	120 mm			All-purpose plastic brush Bristles: 120 x 45 mm. For all T and BV types.
Brush head ESB 34	30	2.642-442.0	1 piece(s)	ID 32		340 mm		ESB 34 with suction hose with integrated electric cabel and telescopic suction tube.
ESB 28 electrical suction brush	31	2.641-815.0	1 piece(s)	ID 32		280 mm		Electric brush with suction hose, power cord and telescopic suction tube. For better dirt pick up from textiles. Also suitable for flexible and hard surfaces. For T 201 and T 12/1.
Radiator brushes	1			1	1	1	1	
Radiator brush Turbo nozzles	32	6.903-404.0	1 piece(s)	ID 32				Radiator brush is suitable for crevice tool 6.903-403.0
Turbo upholstery nozzle	33	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with eduction sleeve.
Turbo floor nozzle	34	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduc-
Repair kits Repair kit, C 32	35	2.639-739.0	1 piece(s)	ID 32				Repair set (C32) includes threaded hose adapters for indus-
Suction hoses (clip system)								trial T vacuum cleaners with clip system.
Suction hose	36	4.440-911.0	1 piece(s)	ID 32	2.5 m			2.5 m suction hose with dry vacuum cleaner connection, clip connection (C 32).
Extension hoses (clip system)		1	1					
Extension hose Extension hose, electrically con-	37	6.906-237.0 6.906-277.0	1 piece(s) 1 piece(s)	ID 32	2.5 m 2.5 m			Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system. for all C-32 and C-35 hoses, electrically conductive.
ductive			- prece(0)		2.5 m			
Expansion pieces (tube -> nozzle) Adapter	39	6.902-083.0	1 piece(s)	ID 32				From DN 32 to DN 35: Plastic adapter (electrically non-con- ductive). Suitable for BV and T vacuum cleaners.
Reducers (tube -> nozzle) Reducer from ID 35 to ID 32	40	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.
	vailabl	·	1	1	1	L	I	

■ Included in delivery. □ Available accessories.

## ACCESSORIES FOR T 15/1 1.355-200.0



		Order no.	Quantity	ID	Length	Width	Price	Description
Reduction/expansion adapter kit								·
Set of reducers / adapter sleeves	41	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.
Connecting sleeves								
Adaptor, ID 32/35, with internal thread	42	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.

■ Included in delivery. □ Available accessories.

			 ,				_
		Order no.			Price	Description	
Suction tools							
Multi-purpose nozzle	1	6.906-089.0					

■ Included in delivery. □ Available accessories.